A

Abbati, D, 871 Abdel-Dayem, H M, 179 Abrahamian, GA, 205 Achong, D M, 295 Adachi, Y, 34 Agranovich, S, 891 Aharoni, D, 503 Ahluwalia, B D, 494 Ahmad, E. 9 Ahmed, SB, 451 Ahn, S H, 733 Aigner, R M, 439 Aitken, C L, 275 Akaki, S. 584 Akiba, H, 55 Aktolun, C, 65, 385, 442 Al-Ajmi, J A A, 842 Alavi, A, 142, 210, 285, 330, 367, 405, 602, 628, 819, 824, 895, 920 Alcorta, P, 817 Aldighieri, F, 605, 824 Alexander, C, 354 Ali, A, 536, 682 Al-Mousa, G, 593 Alnafisi, N, 210, 367 Al-Nahhas, A, 297 Alonso, G, 605 Alonso, J I, 817 Alpar, R, 767 Altun, G D, 381 Alvarez, S, 817 Ambrus, E, 197 Amendo, MT, 321 Anderson, P J, 339 Aoki, Y, 667 Aras, G, 227, 309, 395 Arends, M, 134 Arican, P, 309 Arioni, C, 383 Arisaka, Y, 837 Arka, A, 844 Arnold, CD, 494 Arslan, N, 221 Arsos, G, 593 Arvela, O M, 301, 610 Arveschoug, A K, 249, 599 Asaka, M, 376 Ataman, S. 395 Atay, G, 395 Aung, W, 265 Avram, M M, 165

E

Baba, N, 584 Babu, K, 165 Bader, J B, 354

Azuma, A, 34

Baillet, G, 619 Balan, K, 345 Baldari, S. 741 Balon, H R, 793 Banzo, I, 401 Bager, M M Y, 842 Barodawala, F, 747 Bashir, H, 9 Batra, A, 261 Baumeister, R G H, 788 Becherer, A, 731 Beggs, A D, 522, 705 Bellini, C, 383 Bender, L W, 638, 814 Ben-Haim, S, 727 Benítez-Sánchez, M, 208 Bensadoun, E S, 676 Berk, F, 65, 385, 442 Berner, U, 695 Bernstine, H, 287 Bertalan, V, 660 Bertelsen, H, 249, 599 Bertrand, A-M, 304 Beylergil, V, 745 Bhargava, P, 602 Bhatnagar, A, 261 Bhatnagar, P, 261 Bianco, J A, 785 Bidet, A-C, 304 Biggi, A, 510 Billingsley, J L, 889 Bingener-Casey, J. 205 Bird, N, 345 Blaustein, DA, 165 Blockmans, D, 59, 211, 413 Blockx, P. 48 Blum, U, 53 Bobbaers, H, 59 Boccalandro, F, 334 Boccardo, F, 383 Boersma, H H, 113 Bohdiewicz, P J, 911 Bom, H-S, 215, 896 Borges-Neto, S, 797 Boubaker, A, 905 Boughattas, S, 379, 451 Boulahdour, H, 304 Bradley, Y C, 410 Brandenburg, V M, 53 Bridwell, R S, 202 Brink, I, 739 Brøchner-Mortensen, J, 599 Bromhead, S E, 18 Bruce, W, 547 Budorick, NE, 589 Buhl, T, 183 Bull, M P, 903 Bussy, E, 807

C

Caglar, M, 216, 532, 767 Campisi, C, 383 Camuzzini, G, 510 Caralon, M. 871 Cardot, J-C, 304 Caride, V J, 827 Carp, L, 48 Carreño, J E, 653 Carril, J M, 401 Casara, D, 186, 711 Cash, C, 345 Castronuovo, J J, 324 Cavalieri, R R, 1 Cavanaugh, D, 443 Çelen, Z, 915 Cerino, M, 832 Ceylan, E, 927 Chacko, T K, 628, 819 Chan, W-L, 207 Chander, S, 22 Chandramouli, BS, 165 Chao, T-H, 607, 672, 753 Chatterton, B E, 369 Chatti, K, 379, 451 Chen, H H W, 567 Chen, W-T T, 25 Chisin, R, 128 Chiu, K-L, 666 Chiu, N-T, 567 Cho, S, 437 Choe, W, 293, 527 Choi, Y-Y, 437 Choong, K K L, 463, 520 Chopra, M K, 217 Choudhury, S, 907 Chu, W W, 785 Chua, R S, 419 Chuang, F-J, 490, 604, 666, 845, 900 Chun, K J, 801 Chung, J-K, 96 Chung, M-H, 527 Chung, S-K, 795 Ciavarra, G A, 179 Cigarroa, F G, 205 Clavien, P-A, 550 Cline, D, 443 Cohen, H I, 63, 799 Cohen, P. 369 Cohn, D, 479 Cole, R L, 307 Collier, B D, 674, 842 Collins, J, 40 Connolly, L P, 117, 169 Connolly, S A, 169 Conrad, G R, 283, 597, 916, 929 Constable, C J, 924

A

Abbati, D, 871 Abdel-Dayem, H M, 179 Abrahamian, GA, 205 Achong, D M, 295 Adachi, Y, 34 Agranovich, S, 891 Aharoni, D, 503 Ahluwalia, B D, 494 Ahmad, E. 9 Ahmed, SB, 451 Ahn, S H, 733 Aigner, R M, 439 Aitken, C L, 275 Akaki, S. 584 Akiba, H, 55 Aktolun, C, 65, 385, 442 Al-Ajmi, J A A, 842 Alavi, A, 142, 210, 285, 330, 367, 405, 602, 628, 819, 824, 895, 920 Alcorta, P, 817 Aldighieri, F, 605, 824 Alexander, C, 354 Ali, A, 536, 682 Al-Mousa, G, 593 Alnafisi, N, 210, 367 Al-Nahhas, A, 297 Alonso, G, 605 Alonso, J I, 817 Alpar, R, 767 Altun, G D, 381 Alvarez, S, 817 Ambrus, E, 197 Amendo, MT, 321 Anderson, P J, 339 Aoki, Y, 667 Aras, G, 227, 309, 395 Arends, M, 134 Arican, P, 309 Arioni, C, 383 Arisaka, Y, 837 Arka, A, 844 Arnold, CD, 494 Arslan, N, 221 Arsos, G, 593 Arvela, O M, 301, 610 Arveschoug, A K, 249, 599 Asaka, M, 376 Ataman, S. 395 Atay, G, 395 Aung, W, 265 Avram, M M, 165

E

Baba, N, 584 Babu, K, 165 Bader, J B, 354

Azuma, A, 34

Baillet, G, 619 Balan, K, 345 Baldari, S. 741 Balon, H R, 793 Banzo, I, 401 Bager, M M Y, 842 Barodawala, F, 747 Bashir, H, 9 Batra, A, 261 Baumeister, R G H, 788 Becherer, A, 731 Beggs, A D, 522, 705 Bellini, C, 383 Bender, L W, 638, 814 Ben-Haim, S, 727 Benítez-Sánchez, M, 208 Bensadoun, E S, 676 Berk, F, 65, 385, 442 Berner, U, 695 Bernstine, H, 287 Bertalan, V, 660 Bertelsen, H, 249, 599 Bertrand, A-M, 304 Beylergil, V, 745 Bhargava, P, 602 Bhatnagar, A, 261 Bhatnagar, P, 261 Bianco, J A, 785 Bidet, A-C, 304 Biggi, A, 510 Billingsley, J L, 889 Bingener-Casey, J. 205 Bird, N, 345 Blaustein, DA, 165 Blockmans, D, 59, 211, 413 Blockx, P. 48 Blum, U, 53 Bobbaers, H, 59 Boccalandro, F, 334 Boccardo, F, 383 Boersma, H H, 113 Bohdiewicz, P J, 911 Bom, H-S, 215, 896 Borges-Neto, S, 797 Boubaker, A, 905 Boughattas, S, 379, 451 Boulahdour, H, 304 Bradley, Y C, 410 Brandenburg, V M, 53 Bridwell, R S, 202 Brink, I, 739 Brøchner-Mortensen, J, 599 Bromhead, S E, 18 Bruce, W, 547 Budorick, NE, 589 Buhl, T, 183 Bull, M P, 903 Bussy, E, 807

C

Caglar, M, 216, 532, 767 Campisi, C, 383 Camuzzini, G, 510 Caralon, M. 871 Cardot, J-C, 304 Caride, V J, 827 Carp, L, 48 Carreño, J E, 653 Carril, J M, 401 Casara, D, 186, 711 Cash, C, 345 Castronuovo, J J, 324 Cavalieri, R R, 1 Cavanaugh, D, 443 Çelen, Z, 915 Cerino, M, 832 Ceylan, E, 927 Chacko, T K, 628, 819 Chan, W-L, 207 Chander, S, 22 Chandramouli, BS, 165 Chao, T-H, 607, 672, 753 Chatterton, B E, 369 Chatti, K, 379, 451 Chen, H H W, 567 Chen, W-T T, 25 Chisin, R, 128 Chiu, K-L, 666 Chiu, N-T, 567 Cho, S, 437 Choe, W, 293, 527 Choi, Y-Y, 437 Choong, K K L, 463, 520 Chopra, M K, 217 Choudhury, S, 907 Chu, W W, 785 Chua, R S, 419 Chuang, F-J, 490, 604, 666, 845, 900 Chun, K J, 801 Chung, J-K, 96 Chung, M-H, 527 Chung, S-K, 795 Ciavarra, G A, 179 Cigarroa, F G, 205 Clavien, P-A, 550 Cline, D, 443 Cohen, H I, 63, 799 Cohen, P. 369 Cohn, D, 479 Cole, R L, 307 Collier, B D, 674, 842 Collins, J, 40 Connolly, L P, 117, 169 Connolly, S A, 169 Conrad, G R, 283, 597, 916, 929 Constable, C J, 924

Contreras-Puertas, P, 208
Coover, L R, 161
Cormier, Y, 486
Cornford, M E, 129
Cortes, J, 817
Cosentino, S, 741
Coventry, B J, 369
Cox, S L, 822
Cruces, P, 653
Cruz-Muñoz, S, 208
Csernay, L, 197, 660
Cunnane, M E, 285
Cura, A, 225
Cura, M, 701
Curti, T, 483

D

Dala, R, 701 Dalga, S, 449 Dam, H Q, 893 Dasan, J B, 907 Daugaard, S, 622 Dave, N, 536, 682 Davidson, P. 524 de Boer, J, 901 De Bondt, P, 48 Dehem, J. 211 Deissler, H J, 889 Delaloye, A B, 905 Delbeke, D, 176 de Lourdes Gusmão, M, 453 Demaria, S, 832 Demir, H, 65, 385, 442 Demizu, Y, 126 De Paepe, P, 132 D'Errico, G, 932 Devadas, M, 462 Devakumar, D, 707 De Winter, F, 132 De Winter, O, 596 Diehl, M, 695 Dierckx, R, 132, 596 Diestelhorst, S, 427 D'Ignazio, L, 596 Dirlik, A, 225 Döbert, N, 695 Dodig, D, 810 Dondi, M, 483 Dresel, S. 537 Drieskens, O. 413 Driessens, M, 48 Drocea, CW, 589 Drubach, L A, 117, 169 Duarte, PS, 453, 530, 605, 628, 824 Dutton, J, 18, 134 Dworkin, H J, 213

F

Eade, T, 359
Eade, T N, 924
Eckert, M, 859
Ejiri, K, 909
Elgazzar, A H, 674, 842
Elison, B S, 301
Ellwood, J E, 324, 556

Elstein, D, 503 Emmett, L, 707 Erdincler, O, 65, 385, 442 Erdogmus, B, 449 Ergün, E L, 745 Essabbah, H, 379, 451 Esterl, R M, Jr., 205 Esteves, F P, 109 Evans, J W, 134 Eybalin, M-C, 832

F

Fang, B, 334 Fanti, S, 483 Farkas, G, 197 Farner, M C, 330 Fawwaz, R, 589 Feinmesser, M. 60 Feng, Q, 628 Feola, M, 510 Fernandez, K L, 865 Fertikh, D, 670 Feys, C, 211 Fidelman, N, 763 Fink-Bennett, D. 518 Fiore, D, 186 Fish, S A, 895 Fishman, S, 885 Floege, J, 53 Floresca, J, 299, 445 Fong, W, 534, 803 Fotopoulos, A D, 820 Foult, J-M, 619 Fragkaki, C, 805 Franc, B, 698 Franchi, R. 483 Francisco, R, 638 Frater, C, 50, 361, 625, 707 Freeman, L M, 25, 801 Fujimori, K, 55 Fukuchi, K. 303 Fukumitsu, N, 455, 721, 877 Fukunaga, K, 101 Fulham, MJ, 924 Furui, S, 131, 729

G

Garcia, C A, 582, 926 García, C J, 653 Garypidou, V, 593 Gaston, R C, 494 Gayed, I, 334 Gencoglu, E A, 395 George, M, 81 Gerard, S K, 1 Ghazi, J, 321 Ghesani, N, 142, 824 Ghesani, N V, 285 Gilad, R, 87 Giles, E, 243 Goethals, I, 596 Gold, M A, 494 Gordon, I, 339 Gordon, R L, 763 Goris, M, 698 Graber, A L, 176

Graham, M M, 299, 445 Granone, P, 932 Greene, G S, 670 Gross, K, 40, 676 Grünwald, F, 695 Guede, C, 401 Guimond, J, 486 Gulec, S A, 859 Guleria, S, 907 Gülev, B, 227 Gunder, A, 822 Gundlapalli, S, 140 Gursan, N, 449

E

Habib, G S, 727 Hacimahmutoglu, S, 381 Hadase, M. 223 Hadas-Halpern, I, 503 Hadi, A, 297 Hagge, R, 550 Hahn, K, 537, 788 Hain, S F, 522, 705 Ha-Kawa, S, 667 Halders, S G E A, 829 Halff, GA, 205 Halkar, R K. 109 Hamscho, N, 695 Han, J, 434 Hara, A, 144, 834 Hardoff, R, 60, 287, 898 Hareyama, M, 55 Harris, J, 822 Hartshorne, M F, 45 Hasegawa, K, 909 Hasegawa, N, 877 Hassine, H, 379, 451 Hattori, H, 909 Hayashida, K, 303 Hee, H M, 457 Hefetz, M, 898 Heiba, S I, 179 Heidendal, G A K, 829 Helgans, R, 516 Hellwig, D, 781 Hendel, HW, 622 Heo, Y-J, 215, 896 Herbel, G J, 45 Hernández, A, 401 Herrera, M. 307 Hershcovici, T, 60 Hickeson, M, 367, 602, 628, 819, 920 Hickling, P, 297 Higashi, K, 837 Higashiyama, H, 457 Higgs, RJED, 547 Himeno, T, 371 Hiraki, Y. 584 Hirschowitz, E, 676 Ho, Y Y, 358 Hod, N, 57, 885 Hoegerle, S, 739 Hoffman, MA, 572 Hoffmann, M, 731

Holzhauer, M, 916

Karkavitsas, N. 820

Hongming, Z, 142 Hori, A, 837 Horne, T, 57, 885 Hossain, M, 265 Houpt, L, 443 Housianakou, I, 805 Howarth, D, 524 Huff, K, 129 Huić, D, 810 Hunjan, J S, 547 Hur, Y S, 293 Husák, V, 255 Huyghe, I, 48 Huysse, W, 132 Hyun, I Y, 887

I

Iakovou, I, 593 Ibis, E, 395 Ichikawa, T, 663 Iguchi, T, 584 Imai, E, 131, 305, 729 Imlitemsu, 907 Inabnet, W B, 246 Intenzo, C M, 893 Irie, K. 633 Isgoren, S, 65, 385, 442 Ishida, R, 265 Ishida, Y, 303 Ishiguro, M. 909 Ishikawa, Y, 303 Isobe, K, 62 Itoh, H, 62 Itti, E, 129 Itti, L, 129

I

Jacob, T, 807 Jager, P L, 901 Jang, J S, 136 Javellana, T, 427 Jenkins, L A, 822 Jerushalmi, J, 63, 799 Jiménez-Heffernan, A, 208 Jomaa, R, 379 Joo, H J, 136 Joyce, J M, 743, 825 Jung, C, 437 Jung, C, 437 Jung, Y-A, 795 Juweid, M, 299, 766

K

Kairys, J C, 893 Kaminaga, T, 131, 305, 729 Kaminek, M, 255 Kamitani, T, 223 Kanazawa, S, 584 Kang, K J, 527 Kang, P S, 827 Kannangara, S, 348, 625 Kao, A, 490 Kao, C-H, 219, 459, 539, 604, 666, 845, 900, 935 Karakatsanis, C, 593 Karapinar, B, 225 Karayalcin, G, 572

Karpathios, S, 844 Kartheuser, A, 363 Kashlan, B, 443 Kashyap, R, 217 Kasner, D L, 658, 737, 772, 830, Katada, K, 909 Kato, M, 909 Kato, T, 376 Kawasaki, S, 223 Kawasaki, T, 223 Kerlan, R K, Jr., 763 Ketteler, M. 53 Khairallah, FS, 743 Khan, A-M, 911 Kho, T L, 113 Khoury, J, 63, 799 Kibar, M, 290 Kiefer, V, 40, 676, 845 Killius, J, 550 Kim, A E, 589 Kim, C K, 25, 92, 246 Kim, E-N, 795 Kim, I J, 30, 351, 431 Kim, J-H, 887 Kim, J K, 136 Kim, S, 246, 293, 527 Kim, S-H, 795 Kim, S J, 30, 351, 431 Kim, S-M, 215, 896 Kim, W, 367 Kim, W-H, 527 Kim, Y H, 434 Kim, Y K, 30, 96, 351, 431 Kim, Y S, 887 Kinoshita, N, 34 Kır, K M, 227, 309 Kiratli, PO, 927 Kirsch, C-M, 354, 781 Kjaer, A, 183, 622, 868 Klein, M, 128 Kletter, K, 731 Klingelschmitt, S, 304 Ko, PJ, 648 Kodama, Y, 837 Kohno, Y, 34 Komatsu, Y, 376 Komori, T, 176 Konno, H, 105 Koranda, P. 255 Kosmidis, PA, 447 Kossow, L B, 321 Kotler, C, 727

Koukouraki, S, 820

Krynyckyi, B R, 25, 92, 246

Kramer, EL, 275

Krausz, Y, 503

Krishan, S, 261

Krznarić, Z, 810

Kucuk, O, 395

Kudo, G, 909

Kuge, Y, 376

Kurdi, J, 822

Küçük, NO, 227, 309

Kumar, R, 345, 907

Kross, J, 348

Kurihara, T, 641 Kuroda, M, 584, 909 Kurokawa, F, 834 Kurose, N, 837 Kutomi, K, 131, 305, 729 Kwak, J-Y, 138, 270, 311

L

Laberge, F, 486 Laberge, J M, 763 Lacorte, L B, 405 Lambert, B, 132 Lampl, Y, 87 Lang, O, 255 Lanka, K P, 862 Lantsberg, S, 891 Larcos, G, 462 Lau, C, 920 Lee, B-F, 567 Lee, C-C, 490 Lee, D S, 96 Lee, E J, 136 Lee, F-C, 499 Lee, J-K, 665 Lee, M C, 96 Lee, M-H, 377, 680 Lee, S H, 431 Lemieux, J, 486 Leondi, A, 844 Lescout, J M, 807 Lette, J, 832 Levasseur, A, 832 Levine, M S. 330 Levorato, M, 483 Lewis, P, 716, 747 Li, C-Y, 845 Liberman, B, 453 Licho, R, 81 Lichtenstein, M, 243 Liem, I H, 113 Lim, E, 534 Lim, S T, 67, 138, 270, 311 Lin, C-C, 490 Lin, C-Y, 900 Lin, E C, 516, 591, 656, 735 Lin, W-Y, 607, 672, 753 Lin, Y G, 11 Linos, DA, 447 Lipari, R, 741 Lipszyc, H, 92 Litofsky, N S, 81 Liu, F M, 405 Liu, Y, 801 Loberant, N. 799 Loboguerrero, A, 304 Longa, G, 443 Lonneux, M, 363 Lonovics, J. 197, 660 Lorberboym, M, 87 Ludwig, R, 695 Lull, R J, 763 Ly, J Q, 725, 913

M

MacDurmon, G W, 494 Machac, J, 92, 246 Machado, C, 605 Madácsy, L, 660 Maguire, G Q, Jr., 275 Mahmoud, F, 275 Malamitsi, J, 447 Malaspina, P J, 161 Malik, J. 445 Manalili, EY, 572 Mandel, S J, 895 Mani, H, 223 Mansberg, R, 359 Mansberg, V J, 50 Mantion, G, 304 Marchese, M, 932 Marcus, CS, 427 Marder, SR, 763 Margouleff, D, 324, 556 Margulies, P, 556 Martin, W H, 176 Martins, LRF, 605 Mastrocolla, L E, 530 Matsui, K, 721 Matsumoto, AY, 530 Matsunaga, N, 144, 834 Maurits de Brauw, L, 113 Mayr, N A, 494 Mazzella, M, 383 McAllister, A, 365 McCook, B M, 22 McGuinness, G, 275 Mehrotra, B, 572 Mehta, A, 862 Meltzer, C C, 22 Menda, Y, 445 Meneses, L, 653 Mensforth, D, 369 Menzel, C, 695 Menzies, AR, 18 Metelková, I, 255 Meyerrose, G, 822 Miliziano, J S, 410 Minami, C, 427 Minami, K, 909 Mindlin, L, 57 Minutoli, F, 741 Mirelli, M, 483 Mishkin, F, 129, 427 Mittal, PK, 419 Mlikotic, A, 427 Moellers, M-O, 354 Mohammed, AM, 674 Moisés, V A, 530 Mondal, A, 217, 862 Monetti, N, 483 Montebello, J F, 494 Montilla-Soler, J L, 202 Moon, D H, 434 Morakinyo, T, 373 Mori, Y, 455, 721, 877 Moringlane, J R, 781 Morita, S, 648 Mortelmans, L, 59, 211, 413 Mortensen, J, 183, 440 Mosci, K, 92 Moskowitz, H, 883 Motoori, K, 62 Motoyama, K, 144

Mountz, J M, 140 Moussavian, B, 405 Mozley, D, 142 Mozley, P D, 285 Mulligan, G M, 658 Munidasa, D, 348, 547 Murata, H, 460 Murata, Y, 265 Muto, T, 144 Muzzio, P, 186 Myers, D T, 743, 825 Myers, R K, Jr., 812 Myint, M M, 165 Myslivecek, M, 255

N

Nakagawa, M, 34 Nakamura, T, 34, 191 Nakano, K, 62 Nakano, T, 371, 457 Nakhoda, K Z, 628 Narita, M. 641 Naser, E, 799 Nasrallah, S, 63 Nawaz, M K, 9 Nelson, R C, 550 Ng, C, 134 Nguyen, B D, 922 Nguyen, DT, 373 Nguyen, T, 11, 658 Nieves, N M, 918 Nishimura, T, 191 Nishiyama, Y, 101, 633 Noh, C I, 96 Noto, R B, 733 Noz, M E, 275 Núñez, R, 213

U

Oberhuber, G, 731 Ogasawara, K, 105 Ogasawara, N, 144, 834 Ogawa, A, 105 Ogawa, T, 749 Ogi, S, 455, 721, 877 Oguchi, M, 837 Oh, C-G, 680 Oh, Y-J, 377 Ohkawa, M, 101, 633 Ohta, H, 371, 457 Ohuchi, Y, 749 Ojha, B, 140, 638, 814 Okada, N, 265 Okada, Y, 303 Okamoto, K, 191 Okita, K, 834 Okumura, Y, 584 Okuyama, C, 191 Omar, A, 674 Ong, Y-Y, 479 Ono, Y, 303 Orellana, P, 653 Organist, M, 743 Ozbek, S S, 225 Ozcan, Z, 225 Ozkilic, S, 915

Ozyurt, O, 225

P

Paeng, JC, 96 Pagetta, C, 711 Palestro, C J, 572 Papadopoulos, S, 447 Papantoniou, V, 844 Papós, M, 197 Park, C H, 136, 377, 680 Park, K C, 437 Park, T, 801 Parry, C K, 494 Patel, S M, 419 Paulson, E K, 550 Pávics, L, 197, 660 Pecorella, G R, 741 Peetermans, W, 59 Pekindil, G, 381, 840 Pekindil, Y, 840 Pelizzo, MR, 711 Pena, F J, 401 Peters, AM, 18 Petersen, C L, 868 Petounis, A, 447 Petursson, S R, 825 Pham, H L, 427 Piers, DA, 901 Piotto, A, 711 Pitman, AG, 243 Planchon, CA, 619 Podoloff, D, 334 Poffyn, B, 132 Pohland, M L, 825 Ponzo, F, 405 Poruri, K. 129 Porziella, V, 932 Pozderac, R V, 475 Prasad, V, 862 Praseedom, R. 345 Premuić, M, 810 Prior, J O, 905 Pulmano, C, 40

(

Quirce, R, 401 Qurtom, M A F, 842

R

Rabinowitz, I, 499 Rachinsky, I, 891 Raderer, M, 731 Rakvit, A, 822 Raman, S, 213, 518 Ratani, RS, 419 Rawat, H S, 217, 862 Reale, F, 932 Rebenstock, A, 920 Rebollo-Aguirre, A, 208 Reddy, M P, 299, 445, 536 Reif, J, 781 Reith, W, 781 Rhodes, CA, 793 Ribichini, F, 510 Riehl, J, 53 Rini, J N, 572

Rink, F-J, 537 Roach, P, 479 Roberts, J M, 359 Robeson, W R, 324, 556 Rock, C, 537 Rock, M G, 608 Rodero, J, 817 Rohatgi, PK, 47 Rohren, E M, 550, 797 Roman, M R, 462 Romeike, BFM, 781 Rondogianni, P, 805 Rosenberg, R J, 926 Rubello, D, 186, 711 Rudenko, B, 304 Ruiz-Oliva, F, 817 Rydzewski, B, 221 Ryo, Y U, 40 Ryu, J K, 527

S

Sabroso, F, 653 Sadeh, M, 87 Saeed, S, 427 Saeki, M, 584 Sakaguchi, K, 584 Sakatani, T, 223 Saliba, W R, 727 Sam, J W, 330 Samnick, S, 354, 781 Sampaliotou, G, 844 Sanchez, R, 822 Sarikaya, A, 381, 840 Sarin, B, 862 Sasaki, Y. 460 Sato, S, 584 Satoh, K, 101, 633 Sawada, S, 667 Sawai, T, 909 Scheiner, J D, 733 Schmid, R A, 537 Schneider, B, 739 Schoretsanitis, G, 820 Schusper, S, 142 Schuster, S J, 330 Schwarz, T, 439 Schwenzer, K, 537 Scott, J W, 638, 814 See, T C, 345 Sen, S, 862 Senitko, M, 81 Seok, J W, 351, 431 Sera, M J, 648 Serra, G, 383 Shah, MA, 9 Shapiro, B, 186, 711 Sharma, R, 217, 862 Sharma, S, 261 Shibuya, H, 265 Shih, W-J, 40, 142, 676, 845 Shintaku, M, 371 Shor, M, 536, 682 Siegel, A, 716, 747, 812 Siegel, AM, 716 Siegel, H J, 608 Signore, A, 596

Silverman, E D, 307 Singer, J A, 865 Singh-Wadhwa, S, 207, 301, 610 Sinha, P, 283, 597, 916, 929 Sirikci, A, 915 Sivaratnam, D A, 243 Skvarilová, M, 255 Slart, R H J A, 901 Smith, J A, 295 Smith, M, 47 Smoak, W, 701 Sohn, H-S, 795 Sohn, M-H, 67, 138, 270, 311 Song, H-C, 215, 896 Soni, N L, 261 Sonnad, J R, 494 Sosna, J, 128 Sougawa, M, 667 Soylu, A, 395 Speed, C A, 18 Spencer, R P, 365, 582, 883, 926 Spertini, F, 905 Spiegler, E J, 865 Spieth, M E, 11, 658, 737, 772, 830, 903 Squires, RS, 47 Srinivasan, A. 907 Stark, D M, 443 Stark, P, 898 Starkman, M E, 772 Stavngaard, T, 440 Steinmetz, A P, 60, 287, 898 Stipsanelli, K, 844 Stokkel, MPM, 416 St-Pierre, C, 486 Stroobants, S. 59 Suga, K, 144, 834 Sugihara, H, 34, 223 Sugimoto, H, 663 Suh, J-K, 527 Sükan, A, 290 Sun, S-S, 219, 459, 490, 539, 604, 666, 845, 900 Sungaran, J, 707 Suzuki, T. 457 Syed, G M S, 674 Szakáll, S. Jr., 197

T

Taddei, G, 383 Takács, T. 197 Takada, K. 131, 305, 729 Takada, Y, 126 Takahashi, Y, 265 Takeda, M, 55 Takei, M, 376 Takei, T, 376 Takenaka, H, 663 Takeuchi, T, 371 Taki, S, 837 Tamakawa, M, 55 Tamaki, N, 376 Tamgac, F, 619 Tan. B. 359 Tanabe, Y. 749

Szepes, A, 660

Tanada, S. 460 Tanaka, O, 663 Taniguchi, M, 837 Tatini, V R, 518 Tatlidil, R, 25 Taura, S-I, 265 Taylor, A, Jr., 109 Tebexreni, A S, 530 Telepak, R, 499 Tenorio, LE, 295 Testi, G, 483 Thimister, PWL, 829 Thomassin, M, 619 Tomas, M B, 572 Tonami, H, 837 Toney, M O, 918 Toyama, H, 909 Toyama, Y, 633 Treves, S T, 117, 169 Tripathi, M, 907 Tripathy, R P, 261 Trón, L, 197 Tsai, C-C, 578 Tsai, M-K, 219 Tsiftsis, D, 820 Tsuchida, D, 721, 877 Tsukamoto, E, 376 Tuncel, M, 216, 532, 767 Turer, P, 865 Tutak, I, 395 Tzamaloukas, A H, 45 Tzen, K-Y, 578

U

Uchiyama, M, 455, 721, 877 Udagawa, Y, 909 Uno, T, 62 Uraoka, T, 584 Urioste, A, 653 Ushijima, Y, 191 Uslenghi, E, 510 Uzal, C, 381

V

Valenza, V, 932 Vallina, N K, 401 Vammen, B, 249, 599 Van Beers, B E, 363 Van Den Bruel, A, 413 Vanderschueren, S, 59 Van der Wall, H, 348, 361, 547, 625, 707 Van De Wiele, C, 596 Van Gaal, W, 625, 707 Van Heertum, R L, 589 Van Kroonenburgh, MJPG, 113 Van Kuijk, W H M, 829 Van Moer, E, 211 Varkel, J, 799 Varoglu, E, 449 Velasquez, C, 653 Velidaki, A, 820 Vento, J A, 883 Verkooijen, R B T, 416 Verma, N, 207, 301, 610 Vivian, G. 297

Vucelić, B, 810

W

Wadhwa, S S, 871 Walia, R, 682 Wallhaus, T R, 785 Wang, S, 405 Wang, S-J, 607, 672, 753 Washburn, W K, 205 Watanabe, N, 460 Webb, M, 803 Weiss, M, 537, 788 Wensing, J W, 113 Whooley, BP, 179 Wierzbinski, B, 40 Wijaya, J, 479 Williams, ST, 179 Wilson, M W, 763 Wirt, M D, 918 Wolf, G, 439 Woltering, E A, 859 Wong, C O, 213 Wong, J H, 648 Wong, T Z, 550

Woo, Z H, 887 Wright, S C, 889 Wu, H-C, 490 Wu, P-S, 567

Y

Yamaji, S, 126 Yamamoto, F, 376 Yamamoto, I, 837 Yamamoto, W, 663 Yamamoto, Y, 101, 633 Yang, C-H, 219 Yang, D C, 419 Yannopoulos, A D, 365 Yao, W-J, 567 Yapar, Z, 290 Yasuda, S, 62, 105 Ye, W, 883 Yen, T-C, 578 Yeo, J S, 96 Yigitbası, NO, 381 Yildirim, M, 449 Yildirim, U, 449 Yilmaz, K, 915

Yilmaz, M, 915 Yim, C-Y, 138, 270, 311 Yonehara, C, 648 Yoo, I-R, 795 Yoshida, S, 55 Yoshida, T, 667 Yukawa, H, 105 Yun, M, 210, 367

Z

Zagar, I, 339 Zdor-North, D, 772 Zerva, C, 844 Zhang, L, 265 Zhang, Z-Y, 92 Zhuang, H, 285, 405, 453, 602, 605, 628, 819, 824, 920 Zimran, A, 503 Zincirkeser, S, 915 Zonzin, G, 186 Zuckier, L, S, 25 Zurakowski, D, 169

A

Abscess

hepatic, detected on three-phase bone scan, 307-

iliopsoas, bilateral, FDG PET of, 680-681 intra-abdominal

early detection of, 753–754 Ga-67 imaging of, 753–754

Tc-99m (V) DMSA scan of, 753–754

liver, postchemoembolization, 179-182

lower extremity, In-111 leukocyte imaging of, 889-890

needle, and extraosseous uptake in FDG PET, 439-440

Abstracts

of Central Chapter, Society of Nuclear Medicine Meeting, 2002, 465–467

of Northeast Regional Scientific Meeting of Society of Nuclear Medicine, 2001, 147–152

of Southeastern Chapter, Society of Nuclear Medicine, Annual Meeting, 2001, 229–231

of Southwestern Chapter, Society of Nuclear Medicine, 47th Annual Meeting, 2002, 232

Acquired immunodeficiency syndrome (AIDS), Tl-201 brain SPECT in, 81-86

Acute tubular necrosis

diagnosis of, Tc-99m MAG3 renal imaging in, 165-168

differential diagnosis of, 109-112

Adenoma

adrenocortical, estrogen-secreting, scintigraphic features of, 741–742

hepatic, Tc-99m RBC liver SPECT findings in, and pathologic correlation, 270-274

parathyroid

ectopic, and thyroid cancer, 658-659 on octreotide scintigraphy, 304-305 retrotracheal, Tc-99m MIBI SPECT of, 711-715

Tc-99m MIBI imaging of, to direct surgical approaches, 246–248

Adrenal glands

adenoma, estrogen-secreting, scintigraphic features of, 741–742

F-18 FDG uptake, in non-Hodgkin's lymphoma, 739-740

hyperplasia of, in Cushing's syndrome, FDG PET of, 516-517

I-123 MIBG uptake in, after pheochromocytoma removal, 113–116

tumor of, Ga-67 imaging of, 60-61

Alagille syndrome

diagnosis of (ab), 151 genetics of (ab), 151

Alpha-interferon therapy, diffuse soft tissue uptake on bone scan in, 670-671

Aneurvsm

abdominal aortic, on Tc-99m RBC scan, 824 aortic, FDG PET of, 213–214

mycotic, diagnosis of, Tc-99m HMPAO-labeled leukocytes in, 817–818

Angiosarcoma, parosteal soft tissue, bone infarction caused by, Tc-99m MDP imaging of, 55–56

Ankle

pinhole scintigraphy of, 707–710 sprain, scintigraphic findings in, 625–627

Antibody therapy, in human cancer, genome-wide analysis to find target molecules for (ab), 466 Aorta

abdominal, aneurysm, on Tc-99m RBC scan, 824 aneurysmal thrombus in, FDG PET of, 213–214

Aortic graft, infection of, Tc-99m HMPAO leukocyte imaging in, 443–444

Aortojejunal fistula, in non-Hodgkin's lymphoma, 358–359

Arachnoid cyst, differential diagnosis of, 827–828 Arteriosclerosis obliterans, Tc-99m DTPA-HSA scintigraphy in, 131–132

Arteriovenous malformation, renal, treated by transcatheter arterial embolization, renal imaging in, 877–882

Artifact, on dual-energy x-ray absorptiometry, umbilical ring causing, 911–912

Ascites, chylous, lymphoscintigraphy in, 905–906 Aspergillosis, pulmonary, Tc-99m HMPAO leukocytes and Tc-99m–monoclonal antibody fragment scans in, 596

Atrial septal defect, with Eisenmenger's syndrome, Tc-99m MAA scintigraphy of, 219–220

Attenuation correction

in F-18 FDG PET, with lymphoma (ab), 147 and interpretation of cardiac SPECT (ab), 229 in myocardial perfusion scintigraphy with dextrocardia, 901–902

B

Barium study, false-negative Meckel's diverticulum scan caused by, 57–58

Bexxar therapy, in non-Hodgkin's lymphoma, wholebody elimination measurements in (ab), 232 Bile leak, postsurgical, scintigraphic pattern of, 518–519

Biliary scintigraphy. See also Hepatobiliary imaging with S-shaped gallbladder and calculus, 589–590

Bisphosphonates, and skeletal uptake of Sm-153 EDTMP, 427–430

Bladder

calculus in, on Tc-99m MAG3 renography, 803-804

distortion of, mimicking bone metastasis from pelvic rhabdomyosarcoma, 929–931

Bleomycin-induced alveolitis, FDG PET of, 522–523

Blood pool scintigraphy

in differential diagnosis of hemangioma and lymphedema, 261–264

gated

right ventricular ejection fraction determined by, reproducibility of (ab), 465

right ventricular function and volume evaluated by (ab), 466

ventricular ejection fraction determined by, 871–876

stationary foci on, as sites of active hemorrhage, 25-29

Bone

infarct, caused by parosteal soft tissue angiosarcoma, Tc-99m MDP imaging of, 55–56

metastases to bilateral symmetrical osteolytic, imaging of, 299–301

of breast cancer, 381-382

in pediatric patient, nuclear imaging of, 117–125

in prostate cancer, 50–52 with low serum PSA, 532–533 Sm-153 scintigraphy of, 207

tumors, in pediatric patient, nuclear imaging of, 117-125

Bone densitometry. See also Dual-energy x-ray absorptiometry

after kyphoplasty variant of vertebroplasty, 365-366

Bone imaging

bilateral symmetrical osteolytic metastases seen on, 299–301

bladder distortion mimicking bone metastasis from pelvic rhabdomyosarcoma on, 929-931

blood-pool phase of, ovarian cystadenoma detected on, 463–464

of bony metastases, in prostate cancer, 50–52, 532–533

of calcifying fibrous pseudotumor, 799-800

of cubital bursitis, 348-350

of degenerative transitional lumbosacral articulation, 840–841

dynamic, pheochromocytoma seen on, 301-302

flare phenomenon in, in non-small-cell lung cancer, 486–489

of infected hip prosthesis (ab), 149

with laryngeal carcinoma metastases, 442–443 in localization of hydatid cyst, 449–450

of multifocal spondylodiscitis in brucellosis, 842–

in *Mycobacterium avium* osteomyelitis, 416–418 in non-Hodgkin's lymphoma, symmetrical renal defect with rim sign on, 520–521

in oncogenic osteomalacia, 582-583

in osteochondral injury of hip, 547-549

osteoid osteoma of rib seen on, 216-217

in osteomyelitis of hip, 217-218

in Paget's disease of cervical vertebra, 537-538

in pedal osteomyelitis in diabetics (ab), 149

in pediatric oncology, 117-125

planar, in distinguishing benign osteochondroma from malignant chondrosarcoma, 622–624

of rhabdomyolysis in compartment syndrome, 885–886

simvastatin-associated rhabdomyolysis seen on, 793–794

solitary rib hot spots on, in extraskeletal cancer, clinical significance of, 567–571

SPECT, of knee, symptomatic cortical desmoids detected on, 437–438

in spondyloarthritis, 297-298

of sternal metastasis from hepatocellular carcinoma, 311–312

Tc-99m, diffuse soft tissue uptake on, alphainterferon therapy and, 670-671

Tc-99m DPD, in acquired adult Fanconi syndrome, 53–54

Tc-99m MDP

of bone infarction caused by parosteal soft tissue angiosarcoma, 55–56

of bony metastases in breast cancer, 451–452 of breast cancer bony metastases, 381–382

of calcified Sister Mary Joseph nodule, 134–135 calcifying fibrous pseudotumor on, 799–800

in Hurler syndrome, 915

in localization of hydatid cyst, 449-450

of longitudinal tibial stress fracture, 475-478

in pseudomembranous colitis, colonic uptake in, 797–798

renal mass found on, 805-806

soft tissue extravasation of calcium gluconate in newborn and, 653-655

in squamous cell carcinoma metastasis of unknown primary origin, 383–384

in suppurative costochondritis, 665 of tibial stress injury, 18–21

three-phase

in complex regional pain syndrome after vascular surgery, 619–621

- CLINICAL NUCLEAR MEDICIN
- hepatic abscess detected on, 307–308 whole-body, 419–426
- upper extremity deep venous thrombosis diagnosed on, 283–284
- Bone marrow, visualization during dipyridamole Tc-99m tetrofosmin myocardial and gated SPECT, 846-848
- Bone marrow scan, Tc-99m sestamibi, in Gaucher disease, 503-509
- Bone mineral density, evaluation, by dual-energy x-ray absorptiometry, pitfall in, 911–912
- Brachytherapy, for endometrial cancer, implant removal in, radiation survey after, 494-498
- Brain, tumor, in pediatric patient, nuclear imaging of, 117-125
- Brain imaging
 - F-18 FDG PET, in epilepsy (ab), 230
 - functional, giant cisterna magna and, 827-828
 - interictal SPECT, in epilepsy, 716–720
- in localization of hydatid cyst, 449–450
- MRI, in postinfectious encephalitis, 129–130 SPECT
 - coregistration with MRI, in postinfectious encephalitis, 129–130
 - in ictal nonepileptic visual hallucinations, 87-91
 - in postinfectious encephalitis, 129–130 of striopallidodentate calcinosis, 721–724
 - TI-201, in HIV-infected (AIDS) patients, 81–86
- Tc-99m HMPAO
 - in epilepsy (ab), 230
 - in stroke patient, 918-919

Breast

- lactating, FDG uptake in, 536
- lymphoma of, Ga-67 scintigraphy in, 101–104, 371–372
- mass in, localization, using sestamibi, 161-164
- Miraluma™ Tc-99m sestamibi imaging of (ab), 231
- sentinel lymph nodes in, imaging of
 - high specific-activity sulfur colloid and, 92–95 lymphoscintigraphy for, 92–95
- in rat model, using avidin/biotin-liposome system (ab), 232

Breast cancer

bony metastases

- in pelvis, 451-452
- Sm-153 scintigraphy of, 207
- Tc-99m MIBI imaging in, 381-382

detection of

- with modified coincident gamma camera, 825-
- using sestamibi, 161-164
- male, detection of, on dual-isotope Tl-201 and
 - Tc-99m myoview myocardial imaging, 743–744

- sentinel lymph node detection and imaging in, in rat model, using avidin/biotin-liposome system (ab), 232
- Tc-99m depreotide scintigraphy of, 202-204

Bronchogenic carcinoma

- Tc-99m depreotide SPECT in, 676-679
- Tc-99m tetrofosmin SPECT in, 676-679
- Tl-201 chloride SPECT in, 676-679
- Brucellosis, multifocal spondylodiscitis in, 842-843
- Burkitt's lymphoma (BL), in pediatric patient, nuclear imaging of, 117–125
- Bursitis, of cubital fossa, scintigraphy of, 348–350

C

- Calcifying fibrous pseudotumor, on bone imaging, 799–800
- Carcinoembryonic antigen, antibodies to, in detection of medullary thyroid cancer, 447–448
- Carcinoembryonic antigen scan
- in detection of medullary thyroid cancer, 447–448 for evaluation of colorectal cancer in
- abdominopelvic region (ab), 231
- Carcinoid, thymic, In-111 octreotide uptake in, 453-454
- Castleman's disease, multicentric, Ga-67 scintigraphy in, 900
- Central nervous system. See Brain
- Cerebral blood flow
 - measurement of, using graph plot analysis and
 - I-123 iodoamphetamine, 191–196
 - Tc-99m ECD SPECT of, during balloon test occlusion, 633–637
- Cerebral infarction. See Stroke
- Cerebrospinal fluid (CSF)
 - leak, diagnosed by radionuclide cisternogram, 830-831
 - migration from cerebral ventricle into subarachnoid space, 883–884
- Chemoembolization, of hepatic neoplasm, abscess after, 179–182
- Chest tube, and false-positive F-18 FDG PET, 285-286
- Child(ren). See Newborn; Pediatric patients
- Chloroma, without marrow involvement, on Ga-67 scintigraphy, 359-360
- Cholecystitis, acute, rim sign in, 67-68
- Cholecystokinin-8 (CCK-8), infusion during
- hepatobiliary imaging in cholelithiasis (ab), 465
- Choledochojejunostomy, right hepatic, postoperative complications of, 597–598
- Cholelithiasis, hepatobiliary imaging in, CCK-8 infusion and, 465
- Chondrosarcoma, malignant, 622-624
- Chyloperitoneum, lymphoscintigraphy in, 905-906

Chylothorax, diagnosis of, by lymphoscintigraphy using Tc-99m HSA-DTPA, 455–456

Cisterna magna, giant, and functional brain imaging, 827–828

Cisternography, radionuclide, cerebrospinal fluid leak diagnosed by, 830-831

Coarctation of aorta, on first-pass flow study using Tc-99m tetrofosmin, 822-823

Colorectal cancer

detection of, on FDG PET, 628-632

evaluation of, in abdominopelvic region, CEA scan for (ab), 231

FDG PET in, ventral hernia and, 920–921 hepatic metastases of, FDG PET in, 550–555 postoperative fat necrosis with, Ga-67 scintigraphy of, 607

Colostomy, parastomal hemorrhage after, demonstrated on Tc-99m RBC study, 293–294

Complex regional pain syndrome, after thromboendarterectomy, 619-621

Computed tomography (CT) of cubital bursitis, 348–350

of focal pancreatic lesions, 197–201 helical, in cholecystitis, 67–68

low-dose, and MIBG scintigraphy, combined, in diagnosis of pheochromocytomas, 868–870

and PET combined

in benign uterine condition with FDG uptake, 22–24

lung tumor localization and image registration with, 275–282

fusion of, in radiation oncology (ab), 465 in squamous cell carcinoma metastasis of

unknown primary origin, 383–384 Continuous ambulatory peritoneal dialysis hydrothorax in, peritoneoscintigraphy of, 208–209 peritoneal leakage in, scintigraphic detection of,

829 Coronary artery disease (CAD)

diagnosis of, adenosine Tc-99m tetrofosmin SPECT in, 510-515

gated myocardial SPECT of, transient ischemic stunning in (ab), 148

multiple-vessel, detection of, Tc-99m tetrofosmin myocardial SPECT of, 34–39

transient left ventricular dilatation in, Tc-99m tetrofosmin myocardial SPECT of, 34–39

Costochondritis

mimicking pulmonary nodule, on FDG PET, 591–592

suppurative, Tc-99m MDP and Ga-67 citrate images in, 665

Crohn's disease (CD)

enterovesical fistula in, Tc-99m HMPAO leukocyte imaging of, 887–888

esophageal, Tc-99m antigranulocyte antibody imaging of, 810-811

Cubital bursitis, scintigraphy of, 348-350

Cushing's disease, detection of, by FDG PET, 176-178

Cushing's syndrome

adrenal hyperplasia in, F-18 FDG PET of, 516-517

thymic In-111 octreotide uptake in, 453-454

Cystadenoma, ovarian, detected on blood-pool phase of bone scan, 463–464

Cystic duct syndrome, scintigraphic findings in, 660-662

D

Dandy-Walker malformation, differential diagnosis of, 827-828

Deep vein thrombosis

Ga-67 scintigraphy of, 457–458

upper extremity, on bone scan, 283-284

Desmoid, cortical, detected on knee SPECT, 437–438

Dextrocardia, myocardial perfusion imaging in, attenuation correction and, 901–902

Diabetes mellitus

gastric fundal uptake of F-18 FDG in (ab), 230 pedal osteomyelitis in, diagnosis of (ab), 149

Diaphragmatic paralysis, mimicking lung cancer, on myocardial perfusion imaging, 903–904

Diarrhea, pharmacotherapy for, false-positive In-111 octreotide imaging caused by, 674-675

Dipyridamole stress and myocardial SPECT

in anemia, bone marrow visualization during, 846–848

in hypoxia, bone marrow visualization during, 846-848

septal stunning after, in hypertrophic cardiomyopathy, gated SPECT imaging of, 96–100

Diuretic renogram, non-diagnostic clearance halftimes on, age dependence of (ab), 151

Dobutamine, low-dose, added to gated SPECT myocardial imaging (ab), 147

Dual-energy x-ray absorptiometry

after kyphoplasty variant of vertebroplasty, 365–366

artifact, with umbilical ring, 911-912 reproducibility of, in clinical setting (ab), 467

E

Echocardiography, in apical hypertrophic cardiomyopathy, 785–787

Eisenmenger's syndrome, atrial septal defect with, Tc-99m MAA scintigraphy of, 219-220

CLINICAL NUCLEAR MEDICINE

Encephalitis, postinfectious, coregistered SPECT and MRI study of, 129-130

Enchondroma, F-18 FDG uptake in, 695-697 Endocarditis, after aortic valve replacement, Ga-67 scintigraphy in, 401-404

Endometrial cancer, brachytherapy for, implant removal in, radiation survey after, 494-498

Endoscopic retrograde cholangiopancreatography (ERCP), of focal pancreatic lesions, 197-201

Epilepsy

FDG PET in (ab), 230

interictal SPECT in, 716-720

neocortical, localization of seizure foci in, 716-720

Tc-99m HMPAO brain SPECT in, 716-720 Tc-99m HMPAO brain SPECT in (ab), 230

Esophageal diverticulum, mimicking metastatic thyroid cancer, on I-131 scan, 896-897

Esophageal scintigraphy, hepatic visualization after, 932-934

Ewing's sarcoma, in pediatric patient, nuclear imaging of, 117-125

Fahr's disease, imaging of, 721-724

Fanconi syndrome, Tc-99m DPD skeletal scintigraphy in, 53-54

Fat necrosis, postoperative, in colorectal cancer patient, 607

Femoral artery injury, persistent edema after, lymphoscintigraphy in, 227-228

Fever

of unknown origin

deep venous thrombosis and, 457-458 in lymphoma with breast and ovary involvement, 371-372

work-up for, FDG-PET in, 59

Fibrosclerosis, multifocal, FDG PET in, 413-415 Fibrous histiocytoma, malignant hepatic, on Tc-99m

RBC SPECT, 138-139

Fluorine-18 labeled deoxyglucose (FDG)

gastric fundal uptake of, in diabetics versus nondiabetics (ab), 230

production and quality control of (ab), 231

standardized uptake value for, in anaplastic thyroid cancer, 819

adrenal, in non-Hodgkin's lymphoma, 739-740 in congestive splenomegaly, 210

effect of G-CSF on, 140-141

in enchondroma, 695-697

gastric, in Menetrier's disease, 376-377

by hiatal hernia, 733-734

in lactating breast, 536

muscle, after needle abscess surgery, 439-440 in nontoxic autonomous thyroid nodule, 136-

137

in painful hip replacement (ab), 149

in paraspinal textiloma, 132-133

in right cardiac chambers, 605-606

splenic, in Hodgkin's disease, 572-577

tumoral, hyperglycemia and, 682-683

uterine, in menstruation, 22-24 in ventral hernia, 920-921

Fluorine-18 labeled deoxyglucose (FDG) positron emission tomography (PET)

of abdominal periaortitis, 211-212

of adrenal hyperplasia in Cushing's syndrome, 516-517

in anaplastic thyroid cancer, 819

of aortic aneurysmal thrombus, 213-214

attenuation correction, with lymphoma (ab), 147

of bilateral iliopsoas abscess, 680-681 of bleomycin-induced alveolitis, 522-523

coincidence imaging

of bilateral adrenal metastases in lung cancer, 377 - 378

breast cancer detected with, 825-826

lung tumor localization and image registration of, 275-282

recurrent lymphoma detected with, 638-640

colon cancer detected by, 628-632

of costochondritis, 591-592

Cushing's disease detected by, 176–178

of cutaneous recurrence of gastric cancer, 731-

in enchondroma, 695-697

in epilepsy (ab), 230

extraosseous uptake in, after needle abscess, 439-

false-negative, in Hodgkin's disease, 367-368

false-positive, chest tube insertion and, 285-286

of focal pancreatic lesions, 197-201

in hepatocellular carcinoma (ab), 230

hibernoma seen on, 369-370

in Hodgkin's disease, 572-577

of intrauterine device, 128-129

in lactation, 536

of liver, in surgical candidates with hepatic metastases from colorectal cancer, 550-555

in lung cancer (ab), 229

in lymphoma, effect of G-CSF on, 140-141

of malignant peritoneal mesothelioma, 924-925

in Menetrier's disease, 376-377

of Merkel cell carcinoma, 922-923

in non-Hodgkin's lymphoma, 739-740

in Paget's disease of cervical vertebra, 537-538

pelvic kidney mimicking recurrent colon cancer on, 602-603

positive, in perineum, after anorectal reconstruction, 363–364

of postmeningococcal pericarditis, 59

of pseudo-pseudo tumor, 445-446

of pulmonary nodules, 701-704

of recurrent parathyroid carcinoma, 221-222

in Riedel's thyroiditis and retroperitoneal fibrosis, 413-415

of salivary gland lymphoma in Sjögren's syndrome, 142–143

of small bowel involvement in mantle cell lymphoma, 330–333

straight line sign on, in diffuse peritoneal carcinomatosis, 735–736

and Tc-99m depreotide imaging, discordant, with small-cell neuroendocrine tumor, 373–375

thyroid nodule mimicking cervical adenopathy on, 656-657

ventral hernia and, 920-921

in Wegener's granulomatosis, 705-706

with and without fused CT images, in differential diagnosis of renal lesions (ab), 229

Focal nodular hyperplasias, multiple, scintigraphic findings in, 834–836

Foot, pinhole scintigraphy of, 707-710

Fusion imaging

of ectopic mediastinal parathyroid adenoma, 186-190

in radiation oncology (ab), 465

G

Gallbladder. See also Hepatobiliary imaging anomalies, scintigraphic and ultrasound findings in, 589–590

calculus, scintigraphic and ultrasound findings in, 589-590

in functional cystic duct syndrome, scintigraphic findings in, 660-662

uptake, in Tc-99m RBC scintigraphy for neonatal gastric hemorrhage, 524–526

Gallium-67, uptake

anatomic factors affecting, 898-899

in Hodgkin's disease, 898-899

in inguinal hernia, 65-66

splenic, in Hodgkin's disease, 572-577

Gallium-67 citrate, uptake, in solid and cystic pancreatic tumors, 663–664

Gallium-67 citrate imaging

false-positive, secondary to inguinal hernia, 534–

of non-Hodgkin's lymphoma of larynx, 63–64 in pediatric oncology, 117–125

of ventriculoperitoneal shunt infection, 666

Gallium-67 scintigraphy

of adrenocortical tumor, 60-61

- chloroma without marrow involvement on, 359-360
- of deep vein thrombosis, 457-458
- in endocarditis after aortic valve replacement, 401-404
- of fat necrosis after colorectal surgery, 607

of head and neck tumors, 62-63

in Hodgkin's disease, 572-577

of infected hip prosthesis (ab), 149

of intra-abdominal abscess, 753-754

in lymphoma, of breast, 101-104

in lymphoma with breast and ovary involvement, 371–372

in MALT lymphoma, 604

in multicentric Castleman's disease, 900

in multicentric reticulohistiocytosis, 144-146

in peritonitis, 459

polymyositis detected by, 837-839

in sarcoidosis, with muscular and myocardial involvement, 749-752

in skeletal tuberculosis, 539

in suppurative costochondritis, 665

tracheal granuloma on, 672-673

Gamma camera

coincidence imaging, breast cancer detected with, 825-826

thyroid uptake measured with, without standard source, 324–329

Gamma probe

lymph node dissection guided by, in differentiated thyroid cancer, 859-861

in parathyroid hyperplasia, 865–867 in vulvar Paget's disease, 909–910

Gastric cancer, cutaneous recurrence of, F-18 FDG PET of, 731-732

Gastroenteropancreatic tumors, response to highdose radiotherapy, prediction of (ab), 232

Gastrointestinal bleeding site studies

stationary foci on, as sites of active hemorrhage, 25–29

Tc-99m HSA-DTPA SPECT and maximumintensity projection imaging for, 667–669

Tc-99m RBC, 57-58, 405-409

abdominal aortic aneurysm discovered on, 824 aortojejunal fistula on, in non-Hodgkin's lymphoma, 358–359

for evaluation of bleeding into intra-abdominal hematoma, 763–766

in neonate, gallbladder uptake on, 524–526 parastomal hemorrhage demonstrated on, 293–

Tc-99m sulfur colloid scans, 405-409

Gaucher disease, Tc-99m sestamibi scintigraphic findings in, 503–509

Gliomas, cerebral, in pediatric patient, nuclear imaging of, 117–125

- Glycogen storage disorders, multiple focal nodular hyperplasias in, scintigraphic findings in, 834–836
- Goiter, multinodular, stimulation of I-131 uptake in (ab), 151
- Gorlin's syndrome, scintigraphic findings in, 913–914
- Granulocyte colony-stimulating factor (G-CSF), effect on F-18 FDG PET in lymphoma, 140–141
- Graph plot analysis, in measurement of cerebral blood flow, 191–196

H

- Hallucinations, visual, ictal, brain perfusion imaging in 87-91
- Head and neck, tumors of, Ga-67 SPECT of, 62-63 Heart
 - left, on cardiac blood-pool imaging, 871–876 right
 - on cardiac blood-pool imaging, 871–876 on cardiac blood-pool imaging (ab), 466
 - on cardiac blood-pool imaging (ab), 466 FDG uptake in, 605–606

Hemangioma

hepatic

cavernous

- malignant fibrous histiocytoma mimicking, on Tc-99m RBC SPECT, 138–139
- on Tc-99m RBC SPECT, 578-581
- giant, Tc-99m RBC scan of, 578–581 Tc-99m RBC scan of, false-positive, 270–274
- infantile, Tc-99m DMSA localization in, 225–226 massive, differentiation from lymphedema, 261–264
- vertebral, Tc-99m DTPA-HSA SPECT of, 126-
- Hematoma, intra-abdominal, bleeding into, Tc-99m RBC scintigraphy of, 763–766
- Hematopoiesis, extramedullary, localization of, Tc-99m monoclonal antibodies in, 354–357
- Hemidiaphragm, eventration of, 814–816
- Hemodialysis, septic subclavian vein thrombosis complicating, 45–46

Hemorrhage

- into intra-abdominal hematoma, Tc-99m RBC scintigraphy of, 763–766
- localization of, on blood pool scintigraphy, 25–29 parastomal, demonstrated on Tc-99m RBC study, 293–294

Hennekam syndrome, 383-384

Hepatobiliary imaging

- in cholecystitis, 67–68
- in cholelithiasis, CCK-8 infusion and, 465
- in cystic duct syndrome, 660-662
- cupatration of hamidian harmon and 014 016
- eventration of hemidiaphragm and, 814–816 of postchemoembolization hepatic abscess, 179– 182

- of right hepatic choledochojejunostomy, 597–598 Tc-99m IDA, of postsurgical bile leak, 518–519
- Hepatocellular carcinoma (HCC)

December 2002

- FDG PET in (ab), 230
- octreotide scan in, 499-502
- sternal metastasis of, bone imaging of, 311-312

Herceptin®

- labeling with In-111, using DTPA and DOTA conjugates (ab), 466
- labeling with Y-90, using DTPA conjugate (ab),
- Her2/neu antibody, labeling with In-111, using DTPA and DOTA conjugates (ab), 466

Hernia

- hiatal, F-18 FDG uptake by, 733-734
- inguinal
 - false-positive Ga-67 citrate scan secondary to, 534–535
- Ga-67 accumulation in, 65-66
- ventral, FDG uptake in, 920-921
- Hibernoma, seen on Tc-99m tetrofosmin myocardial imaging and FDG PET, 369-370

Hip

- dysplasia of, 547-549
- osteochondral injury of, 547-549
- osteomyelitis of, Tc-99m infecton and Tc-99m
- MDP imaging in, 217–218
- replacement
- infected, diagnosis of (ab), 149
 - painful, periprosthetic accumulation of F-18 FDG in (ab), 149

Hodgkin's lymphoma

- false-negative FDG PET in, 367-368
- Ga-67 uptake in, 898-899
- in pediatric patient, nuclear imaging of, 117-125
- recurrent, detected on F-18 FDG coincidence
- imaging, 638–640 splenic involvement in, detection of, FDG *versus* Ga-67 for, 572–577
- Hurler syndrome, cranial Tc-99m MDP uptake in,
- Hydatid cyst, localization of, 449-450
- Hydatidosis, in parietal bone and adjacent brain tissue, 449–450
- Hydrothorax, CAPD-related, peritoneoscintigraphy of, 208–209
- Hyperglycemia, and tumoral F-18 FDG uptake, 682–683

Hyperparathyroidism

- imaging in, 221-222
- multimodality imaging in, 186-190
- recurrent secondary, supernumerary parathyroid glands in, 599–601
- Tc-99m MIBI imaging in, 893-894
- 1c-99m MIBI imaging in, 893–894
- tertiary, sestamibi imaging in, 865–867 and thyroid cancer, association of, 820–821

- Hypertrophic cardiomyopathy
- apical, SPECT imaging of, 785-787
- poststress septal stunning in, shown on gated SPECT, 96-100
- sudden death survivor with, sympathetic denervation in, 434–436
- Hypophysis, follicular thyroid cancer metastases to, 309-310

I

- Image formatters, quality control program for (ab),
- Indium-111 capromab pendetide (ProstaScint), uptake, in small bowel (ab), 232
- Indium-111 diethylenetriaminepentaacetic acid (DTPA), in detection of cerebrospinal fluid leak, 830-831
- Indium-111 labeled CYT-356 (ProstaScint). See Indium-111 capromab pendetide (ProstaScint)
- Indium-111 leukocyte scan
 - of lower extremity abscess, 889-890
 - of septic subclavian vein thrombosis, 45–46
- Indium-111 octreotide, uptake, thymic, in Cushing's syndrome, 453–454
- Indium-111 octreotide imaging. See also Indium-111 pentetreotide (Octreoscan) imaging
- false-positive, antidiarrheal medication causing, 674–675
- in hepatocellular carcinoma, 499-502
- in oncogenic osteomalacia, 582-583
- in recurrent meningioma, 781-784
- Indium-111 pentetreotide, dosimetry, predictive value for therapeutic response in gastropancreatic tumors (ab), 232
- Indium-111 pentetreotide (Octreoscan) imaging. See also Indium-111 octreotide imaging
 - in medullary thyroid cancer, 447–448
 - parathyroid adenoma seen on, 304-305
 - of small-cell carcinomas of prostatic origin, 11–17
- Infliximab, for spondyloarthritis, 297-298
- Interferon-γ receptor deficiency, Mycobacterium avium osteomyelitis in, bone scintigraphy in, 416–418
- α -Interferon therapy, diffuse soft tissue uptake on bone scan in, 670–671
- Interosseous membrane
 - anatomy of, 625–627
- injury of, 625–627 Intrauterine device (IUD), FDG PET of, 128–129
- Iodine-123 scans
 - for thyroid cancer metastases, 895
 - for thyroid tumor imaging, 1-8
 - for whole-body diagnostic scanning, 1-8

- thyroid uptake, measured with gamma camera, without standard source, 324–329
- whole-body scan, for thyroid tumors, 1-8 Iodine-131
 - cellulitis caused by, after post-thyroidectomy ablation therapy of thyroid cancer, 215
 - of cutaneous metastasis of follicular thyroid
 - cancer, 379-380 thoracic esophageal diverticulum mimicking
 - metastatic thyroid cancer on, 896–897 thyroid cancer metastases seen on, 610
 - for thyroid tumors, 1-8
- therapy
 - for multinodular goiter, stimulation of I-131 uptake in (ab), 151
 - for post-thyroidectomy ablation therapy of thyroid cancer, diffuse soft tissue uptake of I-131 after, 215
 - for thyroid cancer
 - maximum safe dose for, 556-566
 - outcome with, 556-566
 - salivary contamination after, 462
 - salivary gland scintigraphy after, 767–771 toxicity of, 556–566
 - for thyroid cancer (ab), 150
- whole-body scan
 - hypophyseal metastases of follicular thyroid cancer seen on, 309-310
 - meningioma detected on, 916-917
- negative, reversal to positive, in thyroid cancer patient, after thyrogen stimulation and
- withdrawal, 772–780

 Iodine, radioactive. See Iodine-123; Iodine-131

 Iodine, 123 iodoamphetamine, in measurement of
- Iodine-123 iodoamphetamine, in measurement of cerebral blood flow, 191–196 Iodine-131 iodonorcholesterol scintigraphy, of
- estrogen-secreting adrenocortical adenoma, 741–742
- Iodine-123 *N*-isopropyl-p-iodoamphetamine (IMP) SPECT, of pulmonary thromboembolism, 460–461
- Iodine-131 tositumomab. See Bexxar therapy, in non-Hodgkin's lymphoma

J

Jaundice, neonatal, differential diagnosis of (ab), 151

K

- Kidney. See also Renal
- abnormalities
 - abnormal TI-201 localization in, on myocardial dual isotope SPECT, 40-44

on Tc-99m MDP bone scan, 805-806

abnormal TI-201 localization in, on myocardial dual isotope SPECT, 40-44

arteriovenous malformation, treated by transcatheter arterial embolization, renal imaging in, 877–882

cyst, abnormal TI-201 localization in, on myocardial dual isotope SPECT, 40-44

duplex, renal cortical scintigraphy in, 169–175 ectopic, vesicoureteral reflux to, on indirect radionuclide cystography, 745–746

function, split, estimation of, SPECT versus planar imaging for (ab), 150

lesions, differential diagnosis of, FDG imaging in (ab), 229

lump, scintigraphy of, 927–928

lymphoma in, on bone scan, 520-521

mass, on Tc-99m MDP bone scan, 805–806 pelvic, mimicking recurrent colon cancer, on

FDG PET, 602–603

scarring, abnormal Tl-201 localization in, on myocardial dual isotope SPECT, 40-44 transplantation

lymphocele after, serial renal dynamic scintigraphy of, 907–908

Tc-99m DTPA scan after, genitalia seen on, 345–347

urine in scrotum after, 926

Knee, SPECT, symptomatic cortical desmoids detected on, 437–438

Krypton 81m gas, lung ventilation scan, with granulomatous giant cell vasculitis, 440-441

L

Lactation, FDG uptake in, 536

Larynx

carcinoma of, metastases, bone imaging with, 442–443

non-Hodgkin's lymphoma of, Ga-67 citrate imaging of, 63–64

Left ventricular ejection fraction

by gated poststress and resting SPECT (ab), 147 by gated SPECT, 871-876

Left ventricular hypertrophy, electrocardiographic, with ST-T changes, myocardial imaging in, 641–647

Leukocyte scintigraphy

of infected hip prosthesis (ab), 149

In-111-labeled

abscess diagnosed by, 889-890

of pedal osteomyelitis in diabetics (ab), 149 of septic subclavian vein thrombosis, 45–46

septic emboli seen on, 812-813

Tc-99m HMPAO

in diagnosis of mycotic aneurysm, 817-818

of enterovesical fistula in Crohn's disease, 887-888

in femoral osteomyelitis with bone-to-skin sinus tract, 891–892

in pulmonary aspergillosis, 596

LeukoScan, in pulmonary aspergillosis, 596

Liposarcoma, pleomorphic, metastatic to thyroid, 9-10

Liver

abnormal Tl-201 localization in, on myocardial dual isotope SPECT, 40-44

abscess

detected on three-phase bone scan, 307–308 postchemoembolization, 179–182

giant hemangioma of, diagnosis of, Tc-99m RBC SPECT for, 578-581

multiple adenomas in, Tc-99m RBC liver SPECT findings in, and pathologic correlation, 270-274

necrosis, Tc-99m GSA and Tc-99m phytate scans in, 584-588

visualization, after esophageal scintigraphy, 932-934

Liver imaging. See also Hepatobiliary imaging

F-18 FDG PET, in surgical candidates with hepatic metastases from colorectal cancer, 550–555

with malignant fibrous histiocytoma, 138-139

Lung. See also Pulmonary

abnormal Tl-201 localization in, on myocardial dual isotope SPECT, 40-44

bleomycin-induced alveolitis in, FDG PET of, 522–523

indeterminate lesions in, F-18 FDG PET scan of, 445-446

neoplasms, F-18 FDG coincidence imaging of, tumor localization and image registration for, 275–282

Tl-201 uptake in

on myocardial perfusion SPECT, 255–260 in unilateral pulmonary edema, 321–323

ventilation-perfusion mismatch, causes of, 593-595

Lung cancer

bilateral adrenal metastases, F-18 FDG PET scan of, 377–378

diagnosis of, FDG PET in (ab), 229

FDG coincidence PET in

detection of adrenal metastases using, 377–378 for staging and management, 275–282

F-18 FDG PET in, 229, 377–378, 605–606

metastases of, soft tissue, Tc-99m depreotide scintigraphy in, 410-412

non-small-cell

bone scan flare in, 486-489

preoperative FDG PET in (ab), 229

recurrent, Tc-99m depreotide scintigraphy in, 410-412

staging of, FDG PET in (ab), 229

Tc-99m tetrofosmin uptake in, 698-700

TI-201 and Tc-99m tetrofosmin gated SPECT in, 40-44, 698-700

Tl-201 uptake in, 698-700

Lung perfusion imaging, Tc-99m MAA, atrial septal defect with Eisenmenger's syndrome confirmed by, 219-220

Lung ventilation-perfusion imaging

in mediastinal B-cell lymphoma, 593-595

pneumothorax seen on, 725-726

in Wegener's granulomatosis, 440-441

Lymphedema

after femoral artery injury, lymphoscintigraphy in, 227–228

congenital, of newborn, lymphoscintigraphy in, 383–384

differentiation from massive hemangioma, 261–264

of lower extremity, lymphoscintigraphy in, 727–728

post-therapeutic, scintigraphic assessment of lymphatic transport in, before and after autologous lymph vessel transplantation, 788– 792

Lymph nodes

dissection, gamma probe-guided, in differentiated thyroid cancer, 859-861

sentinel

in breast

count rates, effect of high specific-activity sulfur colloid on, 92–95

lymphoscintigraphy of, 92-95

in rat model, using avidin/biotin-liposome system (ab), 232

detection of, LSO crystal in, clinical application of (ab), 148

harvest, in cutaneous melanoma, 648-652 in melanoma, 295-296, 648-652

in vulvar cancer, lymphoscintigraphy of, 909–910

Lymphocele, post-transplant, on serial renal dynamic scintigraphy, 907–908

Lymphoma. See also Hodgkin's lymphoma; Non-Hodgkin's lymphoma

Bexxar therapy of, whole-body elimination measurements in (ab), 232

of breast, Ga-67 scintigraphy in, 101–104 with breast and overy involvement, Ga-67

with breast and ovary involvement, Ga-67 scintigraphy in, 371–372

differential diagnosis of, in HIV-infected (AIDS) patients, 81-86

dual-head gamma camera coincidence imaging in, attenuation correction and (ab), 147

F-18 FDG PET in, 522-523

effect of G-CSF on, 140-141

in Sjögren's syndrome, 142-143

MALT, of lung, Ga-67 SPECT of, 604

mantle cell, small bowel involvement in, F-18 FDG PET imaging of, 330–333

mediastinal, ventilation-perfusion mismatch with, 593–595

in pediatric patient, nuclear imaging of, 117–125 recurrent, detected on F-18 FDG coincidence imaging, 638–640

splenic involvement in, detection of, 572–577 Tc-99m (V) dimercaptosuccinic acid (DMSA)

scintigraphy in, 845

Lymphoscintigraphy before and after autologous lymph vessel transplantation, in post-therapeutic

lymphedema, 788-792

in congenital lymphedema of newborn, 383–384 cutaneous, in melanoma, 648–652

in differentiation of massive hemangioma and lymphedema, 261–264

in lymphedema of lower extremity, 727–728

of persistent edema after femoral artery injury, 227–228

with polyserositis of unknown origin, 905–906 sentinel node mapping

in breast cancer, 92–95

in melanoma, 295-296

in truncal melanoma, 295-296

using Tc-99m HSA-DTPA, chylothorax diagnosed by, 455–456

in vulvar Paget's disease, 909-910

M

Magnetic resonance angiography, aortic coarctation on, 822-823

Magnetic resonance imaging (MRI)

cerebral, in stroke patient, 918–919

in differentiation of massive hemangioma and lymphedema, 261–264

in localization of hydatid cyst, 449-450

of multifocal spondylodiscitis in brucellosis, 842–843

in postinfectious encephalitis, 129-130 of striopallidodentate calcinosis, 721-724

Mammography, Miraluma™ Tc-99m sestamibi imaging for (ab), 231

Mantle cell lymphoma, small bowel involvement in, F-18 FDG PET imaging of, 330-333

Maximum-intensity projection images, in

localization of gastrointestinal bleeding, 667–669

Meckel's diverticulum scan

false-negative, with recent barium study, 57-58

Tc-99m pertechnetate, false-negative, with recent barium study, 57-58

Melanoma

cutaneous, sentinel lymphadenectomy in, 648-652 lymphatic drainage from, SPECT imaging of, 295-296

metastases of, and protein-losing enteropathy, 243-245

sentinel lymph node mapping in, 295-296 Tc-99m MIBI scintigraphy in, 351-353

Menetrier's disease, gastric F-18 FDG uptake in, 376 - 377

Meningioma

detection of, on post-therapy radioiodide wholebody imaging, 916-917 pulmonary, 701-704

recurrent, Tc-99m depreotide and In-111 octreotide in, comparison of, 781-784

Menstrual bleeding, on F-18 FDG PET, 22-24 Merkel cell carcinoma, FDG PET imaging of, 922-

Mesenchymal tumor, Tc-99m sestamibi imaging of, 608-609

Mesothelioma, peritoneal, FDG PET of, 924-925 I-123 Metaiodobenzylguanidine

imaging

diaphragmatic pheochromocytoma on, 807-809 and intraoperative localization of metastatic pheochromocytoma, 183-185

and low-dose CT, combined, in diagnosis of pheochromocytomas, 868-870

in pediatric oncology, 117–125 renal localization and, 479-482

myocardial imaging

in cardiac sarcoidosis, 729-730

in ECG left ventricular hypertrophy with ST-T changes, 641-647

in sudden death survivor with hypertrophic cardiomyopathy, 434-436

uptake, compensatory, in contralateral adrenal, after removal of pheochromocytoma, 113-116

I-131 Metaiodobenzylguanidine imaging in pediatric oncology, 117-125 of pheochromocytoma, 301-302

Miraluma™ Tc-99m sestamibi imaging (ab), 231 Molar pregnancy, detection of, by Tc-99m human polyclonal immunoglobulin G scintigraphy, 844

Monoclonal antibody therapy, for salivary gland lymphoma in Sjögren's syndrome, 142–143

Monoclonal gammopathy, Tc-99m DPD bone imaging in, 53-54

Mucosa-associated lymphoid tissue (MALT) lymphoma, of lung, Ga-67 SPECT of, 604

Multiple myeloma (MM) diagnosis of, during sestamibi myocardial perfusion imaging, 832-833

Tc-99m tetrofosmin accumulation in, 305-306

Mycobacterium avium osteomyelitis, bone scintigraphy in, 416-418

Myeloma. See Multiple myeloma

Myocardial imaging

adenosine Tc-99m tetrofosmin SPECT, in coronary artery disease, 510-515

dual-isotope Tl-201 and Tc-99m myoview, breast cancer in man detected on, 743-744

in electrocardiographic left ventricular hypertrophy with ST-T changes, 641–647 gated SPECT

in detection of postischemic myocardial stunning (ab), 148

dipyridamole stress and, visualization of bone marrow during, 846-848

postextrasystolic potentiation shown on, 223-224

poststress and resting, analysis of left ventricular ejection fraction by (ab), 147 poststress septal stunning in hypertrophic cardiomyopathy shown on, 96–100

right ventricular ejection fraction calculated using, 334-338

right ventricular functional assessment by, 871-

transient ischemic stunning in (ab), 148 I-123 MIBG, in sudden death survivor with hypertrophic cardiomyopathy, 434–436 perfusion

in dextrocardia, attenuation correction and, 901-902

diaphragmatic paralysis mimicking lung cancer on, 903-904

lung Tl-201 uptake in, prognostic significance of, 255-260

transient ischemic stunning in (ab), 148

in apical hypertrophic cardiomyopathy, 785-787 patient positioning and (ab), 465 pulmonary Tl-201 uptake in, prognostic

significance of, 255-260

Tc-99m MIBI, in congenitally corrected transposition of great arteries and situs solitus, 530-531

Tc-99m tetrofosmin, aortic coarctation on, 822-

Tc-99m tetrofosmin exercise-rest postextrasystolic potentiation on, 223-224 of transient left ventricular dilatation, 34-39

Tc-99m sestamibi, diagnosis of multiple myeloma during, 832-833

Tc-99m tetrofosmin

aortic coarctation on, 822-823

harness-shaped distribution in, in pediatric patient, 303

hibernoma seen on, 369-370

multiple myeloma and, 305-306

postextrasystolic potentiation on, 223–224 of transient left ventricular dilatation, 34–39

TI-201

pulmonary uptake in

prognostic significance of, 255-260

in unilateral pulmonary edema, 321–323 of stunned myocardium (ab), 148

Myocardial stunning

on dipyridamole stress gated myocardial SPECT, 96-100

gated TI-201 SPECT in (ab), 148

Myoma, uterine, identified on Tc-99m MAG3 scan, 801-802

N

Neisseria meningitidis, pericarditis caused by, FDG-PET in, 59

NeoTect. See Technetium-99m depreotide scintigraphy

Neuroblastoma

metastatic, in pediatric patient, nuclear imaging of, 117-125

in pediatric patient, nuclear imaging of, 117–125 Newborn

congenital lymphedema of, lymphoscintigraphy in, 383–384

with gastric hemorrhage, Tc-99m RBC scintigraphy in, gallbladder uptake on, 524–526 jaundice in, differential diagnosis of (ab), 151 soft tissue extravasation of calcium gluconate in, and Tc-99m MDP uptake, 653–655

Non-Hodgkin's lymphoma (NHL)

adrenal uptake of F-18 FDG caused by, 739-740 aortojejunal fistula in, 358-359

Bexxar therapy in, whole-body elimination measurements in (ab), 232

bone scan in, symmetrical renal defect with rim sign on, 520-521

differential diagnosis of, 65-66

of larynx, Ga-67 citrate imaging of, 63–64 in pediatric patient, nuclear imaging of, 117–125 of salivary gland, in Sjögren's syndrome, F-18

FDG PET of, 142-143

0

Oncogene mRNA, imaging of, Tc-99m-chelator-PNA-peptides for (ab), 152

Oncology

pediatric, applications of nuclear medicine in, 117–125

radiation, fusing PET and CT in (ab), 465 Osteochondroma, benign, 622–624 Osteoid osteoma, on bone scintigraphy, 216-217 Osteomalacia

hypophosphatemic, Tc-99m DPD bone imaging in, 53-54

oncogenic, 582-583

Osteomyelitis

femoral, with bone-to-skin sinus tract, Tc-99m HMPAO leukocyte scintigraphy in, 891–892

of hip, Tc-99m infecton and Tc-99m MDP imaging in, 217–218

Mycobacterium avium, bone scintigraphy in, 416–418

pedal, in diabetics, diagnosis of (ab), 149

septic emboli in, on leukocyte scintigraphy, 812-813

Osteosarcoma

metastatic, in pediatric patient, nuclear imaging of, 117-125

in pediatric patient, nuclear imaging of, 117–125

cystadenocarcinoma of, umbilical metastases of, 134-135

cystadenoma of, detected on blood-pool phase of bone scan, 463-464

lymphoma of, Ga-67 scintigraphy in, 371-372

P

Paget's disease

of cervical vertebra, differential diagnosis of, 537–538

vulvar, lymphoscintigraphy in, 909-910

Pamidronate disodium, and skeletal uptake of Sm-153 EDTMP, 427–430

Pancreas

focal lesions of, differential diagnosis of, FDG PET in, 197–201

solid and cystic tumors of, Ga-67 uptake in, 663–664 transplant, duodenal stump of, and ileum, anastomotic hemorrhage between, Tc-99m RBC scan of, 205–206

Pancreatic cancer, FDG PET in, 197-201

Paraganglioma, I-123 MIBG imaging of, 479–482 Parathyroid glands

adenoma

ectopic

multimodality imaging of, 186–190 and thyroid cancer, 658–659

on octreotide scintigraphy, 304-305

retrotracheal, Tc-99m MIBI SPECT of, 711–715

Tc-99m MIBI imaging of, to direct surgical approaches, 246–248

carcinoma of

recurrent, F-18 FDG PET of, 221–222 and thyroid cancer, association of, 820–821

- hyperplasia of, sestamibi imaging in, 865–867 localization, preoperative, pinhole techniques for
- (ab), 149 retroesophageal lesions, Tc-99m sestamibi imaging of (ab), 149
- supernumerary
 - in recurrent secondary hyperparathyroidism, 599-601
 - Tc-99m sestamibi scan of, 893-894
- Parathyroid imaging
 - multimodality, 186-190
 - Tc-99m MIBI
 - to direct surgical approaches, 246-248
 - for presurgical localization, observer variation and, 249–254
 - Tc-99m sestamibi, incidental thyroid cancer on, 658-659
- Pediatric patients. See also Newborn
- bone imaging in, bladder distortion mimicking bone metastasis from pelvic rhabdomyosarcoma on, 929–931
- cancer in, applications of nuclear medicine in, 117-125
- Tc-99m tetrofosmin scintigraphy in, harnessshaped distribution in, 303
- urinary diarrhea in, detected by Tc-99m DTPA scintigraphy, 287–289
- Perfusion lung scan. See Lung perfusion imaging Periaortitis, FDG PET of, 211–212
- Pericarditis, postmeningococcal, FDG-PET scan of, 59
- Peritoneal carcinomatosis, straight line sign on sagittal FDG PET in, 735–736
- Peritoneal leakage, scintigraphic detection of, 829
- Peritoneoscintigraphy in CAPD-related hydrothorax, 208–209
- rectovesicular pouch seen on, 747–748
- Peritonitis
 - Ga-67 scintigraphy in, 459
 - Tc-99m (V) DMSA scintigraphy in, 459
- Pertechnetate-MIBI subtraction scintigraphy, in persistent primary hyperparathyroidism, 711–715 Pheochromocytoma
 - diagnosis of
 - by combined MIBG scintigraphy and low-dose CT, 868-870
 - false-positive, 479-482
 - on dynamic bone scintigraphy, 301-302
 - malignant diaphragmatic, 807-809
 - metastatic, intraoperative localization of, I-123
 - MIBG imaging and, 183–185 removal of, and compensatory I-123 MIBG
- uptake in contralateral adrenal, 113–116 Pinhole scintigraphy, of ankle and foot, 707–710 Pleural effusion
 - diagnosed by radionuclide cisternogram, 830-831

- on myocardial dual isotope SPECT, 40-44
- Pleuroperitoneal communication,
- peritoneoscintigraphy of, 208–209 Pneumothorax, on lung ventilation-perfusion
- imaging, 725–726
- Polycystic kidney disease, autosomal recessive, Tc-99m DMSA and HIDA findings in, 339-344
- Polymyositis, detected by Ga-67 scintigraphy, 837–839
- Polyserositis, of unknown origin, lymphoscintigraphy in, 905-906
- Portal hypertension, parastomal hemorrhage with, demonstrated on To-99m RBC study 293-294
- demonstrated on Tc-99m RBC study, 293–294 Positron emission tomography (PET)
- and CT, fusion of, in radiation oncology (ab), 465 false-positive, for malignant pulmonary nodules, 701–704
- F-18 FDG
 - of abdominal periaortitis, 211-212
 - of adrenal hyperplasia in Cushing's syndrome, 516-517
 - in anaplastic thyroid cancer, 819
 - of aortic aneurysmal thrombus, 213-214
 - attenuation correction, with lymphoma (ab), 147
 - of bilateral iliopsoas abscess, 680-681
 - of bleomycin-induced alveolitis, 522-523
 - coincidence imaging of bilateral adrenal metastases in lung
 - cancer, 377–378
 - breast cancer detected with, 825-826
 - lung tumor localization and image registration for, 275–282
 - recurrent lymphoma detected with, 638-640
 - colon cancer detected by, 628-632
 - of costochondritis, 591-592
 - Cushing's disease detected by, 176-178
 - of cutaneous recurrence of gastric cancer, 731–732
 - dual-head gamma camera coincidence imaging, in lymphoma (ab), 147
 - in enchondroma, 695-697
 - in epilepsy (ab), 230
 - in ephepsy (ab), 250
 - extraosseous uptake in, after needle abscess, 439–440
 - false-negative, in Hodgkin's disease, 367–368
 - false-positive, chest tube insertion and, 285-286
 - of focal pancreatic lesions, 197–201 in hepatocellular carcinoma (ab), 230
 - hibernoma seen on, 369-370
 - in Hodgkin's disease, 572-577
 - of intrauterine device (IUD), 128-129
 - in lactation, 536
 - of liver, in surgical candidates with hepatic metastases from colorectal cancer, 550-555
 - in lung cancer, 605-606

in lung cancer (ab), 229

in lymphoma

effect of G-CSF on, 140-141

of salivary gland, in Sjögren's syndrome, 142-143

of malignant peritoneal mesothelioma, 924-925

in Menetrier's disease, 376-377

of Merkel cell carcinoma, 922-923

in non-Hodgkin's lymphoma, 739-740

of nontoxic autonomous thyroid nodule, 136-137

in Paget's disease of cervical vertebra, 537-538

of paraspinal textiloma, 132-133

of parathyroid carcinoma recurrence, 221-222

in pediatric oncology, 117-125

pelvic kidney mimicking recurrent colon cancer on, 602-603

positive, in perineum, after anorectal reconstruction, 363–364

of postmeningococcal pericarditis, 59

of pseudo-pseudo tumor, 445-446

of pulmonary nodules, 701-704

in Riedel's thyroiditis and retroperitoneal fibrosis, 413–415

of salivary gland lymphoma in Sjögren's syndrome, 142–143

of small bowel involvement in mantle cell lymphoma, 330–333

straight line sign on, in diffuse peritoneal carcinomatosis, 735–736

and Tc-99m depreotide imaging, discordant, with small-cell neuroendocrine tumor, 373– 375

thyroid nodule mimicking cervical adenopathy on, 656-657

ventral hernia and, 920-921

in Wegener's granulomatosis, 705-706

with and without fused CT images, in differential diagnosis of renal lesions (ab), 229

F-18 FDG uptake in, uterine, in menstruation,

hybrid imaging, least resolvable volume of (ab), 150

Pregnancy, molar, detection by Tc-99m human polyclonal immunoglobulin G scintigraphy, 844

Prostate cancer

bony metastases

bone scan in, 532-533

with normal serum PSA and PAP, 532–533 unusual pattern of, 50–52

hormonal therapy for, and bone scan for metastases, 532–533

pelvic lymph node metastasis, on Tl-201 scan, 935-936

small-cell, metastases of, diagnosis and treatment of, 11–17

Prostatitis, Tc-99m ciprofloxacin scintigraphy in, 527–529

Prosthetic valve endocarditis, Ga-67 scintigraphy in, 401-404

Protein-losing enteropathy

detected on Tc-99m HSA and Tc-99m MDP scintigraphy, 431-433

melanoma metastases causing, 243-245

Pseudomembranous colitis, colonic uptake of Tc-99m MDP in, 797-798

Pulmonary embolism

differential diagnosis of, 593–595

I-123 IMP SPECT of, 460–461 Pulmonary nodules, F-18 FDG PET of, 701–704

Pyelonephritis, abnormal Tl-201 localization in, on myocardial dual isotope SPECT, 40–44

Q

Quality control, for image formatters and video display monitors (ab), 148

R

Radiation dosimetry, for radioimmunotherapy, calculation of, interoperator variability in (ab), 466

Radiation oncology, fusing PET and CT in (ab), 465 Radiation survey, after implant removal in brachytherapy for endometrial cancer, 494–498

Radioactivity, environmental, internet-based display of (ab), 147

Radiogallium. See Gallium-67

Radioimmunotherapy, radiation dosimetry for, calculation of, interoperator variability in (ab), 466

Radioiodine. See Iodine-123; Iodine-131 Raynaud's syndrome, Tc-99m DTPA-HSA scintigraphy in, 131–132

Rectal cancer, anorectal reconstruction for, positive F-18 FDG PET scan after, 363–364

Rectovesicular pouch, seen on peritoneal imaging, 747–748

Reflex sympathetic dystrophy

diagnosis of, 48-49

lower limb, after thromboendarterectomy, 619–621

Renal failure

parathyroid hyperplasia secondary to, sestamibi imaging in, 865–867

Tc-99m mercaptoacetyltriglycine (MAG3) imaging in, 109–112, 165–168

Renal fusion anomalies, scintigraphic findings in, 927–928

- Renal imaging. See also Diuretic renogram
 - exercise, renal transplant complications seen on, 483-485

CLINICAL NUCLEAR MEDICINE

- of lump kidney, 927-928
- post-transplant
 - exercise, renal ischemia seen on, 483-485 with lymphocele, 907-908
 - urinary activity in scrotum seen on, 926
- in renal arteriovenous malformation treated by transcatheter arterial embolization, 877-882
- Tc-99m diethylenetriaminepentaacetic acid (DTPA)
 - interpretation of, vesicoureteral reflux and, 290-292
- posttransplant, genitalia seen on, 345-347 urinary diarrhea detected by, 287-289
- Tc-99m dimercaptosuccinic acid (DMSA)
- in autosomal recessive polycystic kidney disease, 339-344
 - ectopic ureterocele and, 169-175
- infantile hemangioma and, 225-226
- of lump kidney, 927-928
- vesicoureteral reflux and, 290-292
- Tc-99m HIDA, in autosomal recessive polycystic kidney disease, 339-344
- Tc-99m mercaptoacetyltriglycine (MAG3)
- bladder calculus and severe vesicoureteral reflux seen on, 803-804
- in diagnosis of acute tubular necrosis, 165-168 of transureteroureterostomy obstruction, 109-
- uterine myoma identified on, 801-802
- with vesicoureteral reflux to ectopic kidney, 745-
- Reticulohistiocytosis, multicentric, Ga-67 scintigraphy in, 144-146
- Retroperitoneal fibrosis, FDG PET in, 413-415
- Rhabdomyolysis in compartment syndrome, on bone imaging, 885-
- simvastatin-associated, on bone scan, 793-794
- Tc-99m whole-body scintigraphy in, 795–796 Rhabdomyosarcoma
- in pediatric patient, nuclear imaging of, 117-125 pelvic, bone metastasis from, differential diagnosis of, 929-931
- Rheumatoid knee synovitis, Y-90 silicate therapy
- for, assessment using Tc-99m HIG scan, 395-400 Ribs, solitary hot spots, on bone scan, in
- extraskeletal cancer, clinical significance of, 567-
- Riedel's thyroiditis, FDG PET in, 413-415
- Right ventricle
 - functional assessment of
 - with gated myocardial perfusion SPECT, 871-876

- gated SPECT blood-pool imaging in (ab), 466 volume, gated SPECT blood-pool imaging in (ab), 466
- Right ventricular ejection fraction
 - calculation of
 - using gated blood pool SPECT, reproducibility of (ab), 465
 - using gated myocardial perfusion, 334-338
- by gated SPECT, 871-876 Rituximab therapy, for salivary gland lymphoma in Sjögren's syndrome, 142–143
- Salivary gland scintigraphy
- after radioiodine treatment of thyroid cancer, 767-771
- in Sjögren syndrome, 265-269
- Samarium-153
 - ethylenediaminetetramethylenephosphonic acid (EDTMP), skeletal uptake of, bisphosphonate infusion and, 427-430
- Samarium-153 scintigraphy, of bony metastases, 207 Sarcoidosis
 - cardiac, [123] MIBG myocardial SPECT in, 729-
 - muscular and myocardial involvement in, Ga-67 imaging of, 749-752
- Sartorius muscle insertion, avulsion injury of, 361-
- Scrotum, urine in, in renal transplant recipient, 926 Sentinel lymph node
 - in breast
 - count rates, effect of high specific-activity sulfur colloid on, 92-95
 - lymphoscintigraphy of, 92-95
 - in rat model, detection using avidin/biotinliposome system (ab), 232
 - detection of, LSO crystal in, clinical application of (ab), 148
 - harvest, in cutaneous melanoma, 648-652
 - in melanoma, lymphoscintigraphy of, 295–296
- in vulvar cancer, lymphoscintigraphy of, 909-910 Simvastatin, rhabdomyolysis induced by, on bone
- scan, 793-794
- Sinclaide, infusion during hepatobiliary imaging in cholelithiasis (ab), 465
- Single-photon emission computed tomography
 - adenosine Tc-99m tetrofosmin, in coronary artery disease, 510-515
- brain imaging
 - interictal, in epilepsy, 716-720
 - of striopallidodentate calcinosis, 721-724
- brain perfusion imaging

coregistration with MRI, in postinfectious encephalitis, 129-130

in ictal nonepileptic visual hallucinations, 87–91 in localization of hydatid cyst, 449–450

of reperfusion hyperemia after acute cerebral embolism, 105-108

dual isotope, cardiac

abnormal TI-201 findings on, 40-44

low-dose dobutamine added to (ab), 147

Ga-67

in Hodgkin's disease, 572-577 in MALT lymphoma, 604

of non-Hodgkin's lymphoma of larynx, 63–64 of primary tumors of head and neck, 62–63

in prosthetic valve endocarditis, 401–404

gated

postextrasystolic potentiation shown on, 223-224

poststress and resting, analysis of left ventricular ejection fraction by (ab), 147

right ventricular ejection fraction calculated using, 334–338

right ventricular functional assessment by, 871–876

I-123, pinhole, of thyroid, phantom studies of (ab), 151

I-123 IMP, of pulmonary thromboembolism, 460–461

of knee, symptomatic cortical desmoids detected on, 437-438

of lymphatic drainage from truncal melanoma, 295–296

in multicentric reticulohistiocytosis, 144-146

myocardial imaging

in apical hypertrophic cardiomyopathy, 785–787 in cardiac sarcoidosis, 729–730

in congenitally corrected transposition of great arteries and situs solitus, 530–531

in detection of stunned myocardium (ab), 148 dual isotope, abnormal TI-201 findings on, 40– 44

electrocardiograph-gated

dipyridamole stress and, visualization of bone marrow during, 846-848

low-dose dobutamine added to (ab), 147 postextrasystolic potentiation shown on, 223–

poststress septal stunning in hypertrophic cardiomyopathy shown on, 96–100

right ventricular ejection fraction calculated using, 334–338

right ventricular functional assessment by, 871–876

interpretation of, attenuation correction and (ab), 229

patient positioning and (ab), 465

pulmonary Tl-201 uptake in prognostic significance of, 255–260 in unilateral pulmonary edema, 321–323

Tc-99m MIBI, in congenitally corrected transposition of great arteries and situs solitus, 530-531

Tc-99m tetrofosmin exercise-rest postextrasystolic potentiation on, 223–224 of transient left ventricular dilatation, 34–39 transient ischemic stunning in (ab), 148 of transient left ventricular dilatation, 34–39

renal cortical imaging, and estimation of split renal function, 150

Tc-99m, pinhole, of thyroid, phantom studies of (ab), 151

Tc-99m depreotide in bronchogenic carcinoma, 676–679 in recurrent meningioma, 781–784

Tc-99m DTPA-HSA, of vertebral hemangioma, 126-127

Tc-99m ECD, of reperfusion hyperemia after acute cerebral embolism, 105-108

Tc-99m HMPAO

in diagnosis of mycotic aneurysm, 817–818 of enterovesical fistula in Crohn's disease, 887– 888

in epilepsy (ab), 230

Tc-99m HSA-DTPA, localization of gastrointestinal bleeding using, 667–669

Tc-99m MIBI

in congenitally corrected transposition of great arteries and situs solitus, 530-531

of retrotracheal parathyroid adenoma, 711-715

Tc-99m RBC

hepatic malignant fibrous histiocytoma mimicking cavernous hemangioma on, 138– 139

multiple hepatic adenomas mimicking hemangioma on, 270–274

Tc-99m tetrofosmin

in bronchogenic carcinoma, 676–679 of thymoma, 30–33

TI-201

of brain, in HIV-infected (AIDS) patients, 81-86

combined myocardial perfusion imaging and lung Tl-201 uptake measurement, prognostic value of, 255–260

in detection of stunned myocardium (ab), 148 myocardial perfusion imaging, pulmonary Tl-201 uptake in

prognostic significance of, 255–260 in unilateral pulmonary edema, 321–323

Tl-201 chloride, in bronchogenic carcinoma, 676–

Sjögren's syndrome

salivary gland lymphoma in, F-18 FDG PET of, 142-143

CLINICAL NUCLEAR MEDICINE

salivary gland scintigraphy in, 265-269

Skeletal scintigraphy. See Bone imaging

Small bowel

In-111 capromab pendetide (ProstaScint) uptake in (ab), 232

involvement in mantle cell lymphoma, F-18 FDG PET imaging of, 330-333

melanoma metastases in, protein-losing enteropathy caused by, 243-245

Small-cell carcinoma

discordant FDG PET and Tc-99m depreotide imaging in, 373-375

of prostatic origin, diagnosis and treatment of, 11 - 17

Soft tissue

calcifications, seen on bone imaging, 299-301 lung cancer metastases to, Tc-99m depreotide scintigraphy in, 410-412

tumors, Tc-99m MDP imaging of, 55-56

Somatostatin receptor imaging. See also Indium-111 pentetreotide (Octreoscan) imaging; Technetium-99m depreotide scintigraphy in recurrent meningioma, 781-784

Spleen, abnormal Tl-201 localization in, on myocardial dual isotope SPECT, 40-44

Splenomegaly, congestive, F-18 FDG uptake in, 210 Spondyloarthritis

bone scan in, 297-298

presenting as bone metastases, 297-298

Spondylodiscitis, multifocal, in brucellosis, 842–843

Squamous cell carcinoma, metastasis, of unknown primary origin, Tl-201 imaging in, 383-384

Stomach. See Gastric

Stress fractures, tibial, grading of, 18–21

Striopallidodentate calcinosis, bilateral, imaging of, 721-724

Stroke

reperfusion hyperemia after, Tc-99m ECD SPECT imaging of, 105–108 very early imaging in, 105-108

Subendocardial ischemia, evaluation of, Tc-99m tetrofosmin myocardial SPECT in, 34-39

Sudden cardiac death, survivor, sympathetic denervation in, 434-436

Sulfur colloid, high specific-activity, and sentinel node count rates in breast cancer, 92-95

Sympathetic denervation, in sudden death survivor with hypertrophic cardiomyopathy, 434–436

T cells (T lymphocytes), Tc-99m NeoTect imaging of, in hCAR transgenic mice, in vivo (ab), 230

Technetium-99m anti-CEA Fab' scan, in detection of medullary thyroid cancer, 447-448

Technetium-99m antigranulocyte antibodies, esophageal Crohn's disease visualized using, 810-

Technetium-99m ciprofloxacin scintigraphy, in prostatitis, 527-529

Technetium-99m depreotide scintigraphy of breast cancer, 202-204

in bronchogenic carcinoma, 676-679

and F-18 FDG PET, discordant, with small-cell neuroendocrine tumor, 373-375

in lung cancer with soft tissue metastases, 410-412

in recurrent lung cancer, 410-412 in recurrent meningioma, 781-784

Technetium-99m dextran, in diagnosis and identification of melanoma metastases causing protein-losing enteropathy, 243-245

Technetium-99m dicarboxypropane diphosphonate (DPD), bone imaging

in acquired adult Fanconi syndrome, 53-54 in Paget's disease of cervical vertebra, 537-538

Technetium-99m diethylenetriaminepentaacetic acid (DTPA)

migration from cerebral ventricle into subarachnoid space, 883-884

renal imaging

interpretation of, vesicoureteral reflux and, 290-292

posttransplant, genitalia seen on, 345-347 urinary diarrhea detected by, 287-289

Technetium-99m diethylenetriaminepentaacetic acid (DTPA)-human serum albumin scintigraphy of arteriosclerosis obliterans, after ticlopidine hydrochloride therapy, 131-132

of vertebral hemangioma, 126-127

Technetium-99m diisopropyl iminodiacetic acid (DISIDA), hepatobiliary scintigraphy, in cholecystitis, 67-68

Technetium-99m dimercaptosuccinic acid (DMSA) accumulation, in malignant thymoma, 30-33 renal imaging

in autosomal recessive polycystic kidney disease, 339-344

ectopic ureterocele and, 169-175 infantile hemangioma and, 225-226

of lump kidney, 927-928

Technetium-99m (V) dimercaptosuccinic acid (DMSA) scintigraphy of intra-abdominal abscess, 753-754 in lymphoma, 845

in peritonitis, 459

of skeletal tuberculosis, 539

Technetium-99m ethyl cysteinate dimer (ECD), SPECT

of cerebral collateral circulation during balloon test occlusion, 633–637

in ictal nonepileptic visual hallucinations, 87–91 of reperfusion hyperemia after acute cerebral embolism, 105–108

Technetium-99m galactosyl human serum albumin (GSA) imaging, in hepatic necrosis, 584–588 Technetium-99m HDP, whole-body scintigraphy, in

rhabdomyolysis, 795-796

Technetium-99m hexamethylpropylene amineoxime (HMPAO)

brain imaging

in epilepsy (ab), 230 in stroke patient, 918-919

leukocyte imaging

aortic graft infection diagnosed on, 443–444 in diagnosis of mycotic aneurysm, 817–818 of enterovesical fistula in Crohn's disease, 887–888

in femoral osteomyelitis with bone-to-skin sinus tract, 891–892

in pulmonary aspergillosis, 596

Technetium-99m HIDA, renal imaging, in autosomal recessive polycystic kidney disease, 339–344

Technetium-99m human polyclonal immunoglobulin G scintigraphy

to assess Y-90 silicate therapy in rheumatoid knee synovitis, 395-400

uterine visualization with, to detect molar pregnancy, 844

Technetium-99m human serum albumin (HSA), scintigraphy, protein-losing enteropathy detected on, 431–433

Technetium-99m human serum albumin-diethylenetriaminepentaacetic acid

lymphoscintigraphy, chylothorax diagnosed by, 455–456

SPECT, localization of gastrointestinal bleeding using, 667–669

Technetium-99m iminodiacetic acid (IDA), hepatobiliary imaging, of postsurgical bile leak, 518-519

Technetium-99m Infecton scan, in osteomyelitis of hip, 217–218

Technetium-99m macroaggregated albumin (MAA) lung perfusion imaging

atrial septal defect with Eisenmenger's syndrome confirmed by, 219–220 in Wegener's granulomatosis, 440–441

peritoneoscintigraphy, in CAPD-related hydrothorax, 208–209

Technetium-99m mebrofenin, hepatobiliary imaging, of right hepatic choledochojejunostomy, 597–598

Technetium-99m mercaptoacetyltriglycine (MAG3) imaging

renal

in acute tubular necrosis, 165–168 bladder calculus and severe vesicoureteral reflux seen on, 803–804

uterine myoma identified on, 801-802

of transureteroureterostomy obstruction, 109-112

Technetium-99m methoxyisobutylisonitrile (MIBI) imaging. See also Technetium-99m sestamibi of benign cervical thymoma, 862–864 of breast cancer bony metastases, 381–382

with laryngeal carcinoma metastases, 442-443

of malignant thymoma, 30-33

in melanoma, 351-353

myocardial, in congenitally corrected transposition of great arteries and situs solitus, 530–531

parathyroid

to direct surgical approaches, 246-248 interpretation of (ab), 149

preoperative

high-resolution parallel-hole collimators for, 249–254

observer variation and, 249–254 pinhole techniques for, 249–254 pinhole techniques for (ab), 149

in pediatric oncology, 117–125 SPECT, in localization of retrotracheal

parathyroid adenoma, 711–715 in spondyloarthritis, 297–298

Technetium-99m methoxyisobutylisonitrile (MIBI)– SPECT-CT image fusion, in primary hyperparathyroidism, 186–190

Technetium-99m methylenediphosphonate (MDP) bone imaging

bilateral symmetrical osteolytic metastases seen on, 299–301

of bone infarction caused by parosteal soft tissue angiosarcoma, 55–56

of bony metastases in breast cancer, 451–452 with breast cancer bony metastases, 381–382 of calcified Sister Mary Joseph nodule, 134–135 calcifying fibrous pseudotumor on, 799–800

of degenerative transitional lumbosacral articulation, 840–841

in Hurler syndrome, 915

with laryngeal carcinoma metastases, 442–443 in localization of hydatid cyst, 449–450

of longitudinal tibial stress fracture, 475-478

osteoid osteoma seen on, 216–217 in osteomyelitis of hip, 217–218

in pseudomembranous colitis, colonic uptake in, 797–798

renal mass found on, 805–806 in spondyloarthritis, 297–298

in squamous cell carcinoma metastasis of unknown primary origin, 383–384 of sternal metastasis from hepatocellular carcinoma, 311-312

in suppurative costochondritis, 665 three-phase whole-body, 419-426 of tibial stress injury, 18-21

imaging

pinhole, in ankle and foot, 707–710 protein-losing enteropathy detected on, 431-433

uptake

cranial, in Hurler syndrome, 915 in reflex sympathetic dystrophy, 48–49 secondary to soft tissue extravasation of calcium gluconate in newborn, 653-655 in self-induced hypoxia, 48-49

Technetium-99m monoclonal antibodies

in localization of extramedullary hematopoiesis, 354 - 357

in pulmonary aspergillosis, 596

Technetium-99m NeoTect imaging, of T cells from hCAR transgenic mice, in vivo (ab), 230

Technetium-99m pertechnetate

scintigraphy

in acute testicular torsion, 490-493 thyroid cancer metastases seen on, 610

thyroid imaging

benign cervical thymoma and, 862-864 in Sjögren's syndrome, 265-269

uptake

in thymoma, 47-48, 862-864

in thyroid, in Sjögren's syndrome, 265–269

Technetium-99m pertechnetate-MIBI subtraction scintigraphy, in primary hyperparathyroidism, 186 - 190

Technetium-99m phytate

liver scans, in hepatic necrosis, 584–588 uptake, by multiple focal nodular hyperplasias, in glycogen storage disease, 834-836

Technetium-99m pyridoxyl-5-methyltryptophan (PMT), uptake, by multiple focal nodular hyperplasias, in glycogen storage disease, 834-836

Technetium-99m RBC scan

of anastomotic hemorrhage between duodenal stump of pancreatic transplant and ileum, 205-206

false-positive

with hepatic malignant fibrous histiocytoma mimicking cavernous hemangioma, 138–139 with multiple hepatic adenomas mimicking hemangioma, 270-274

gastrointestinal bleeding studies, 57-58 abdominal aortic aneurysm discovered on, 824 aortojejunal fistula on, in non-Hodgkin's lymphoma, 358-359

for evaluation of bleeding into intra-abdominal hematoma, 763-766

parastomal hemorrhage demonstrated on, 293-

stationary foci on, as sites of active hemorrhage, 25-29

of giant hemangioma of liver, 578-581 in lower gastrointestinal bleeding, 405-409 in neonatal gastric hemorrhage, gallbladder

uptake on, 524-526

Technetium-99m sestamibi. See also Technetium-99m methoxyisobutylisonitrile (MIBI) imaging bone marrow scintigraphy, in Gaucher disease, 503-509

in breast tumor localization, 161-164 imaging, of mesenchymal tumor, 608-609 Miraluma™ imaging system (ab), 231

myocardial perfusion imaging

diagnosis of multiple myeloma during, 832–833 diaphragmatic paralysis mimicking lung cancer on, 903-904

parathyroid imaging

to direct surgical approaches, 246-248 in hyperplasia, 865-867

preoperative, 249-254

with retroesophageal lesions (ab), 149 of supernumerary glands, 599-601, 893-894

tumor imaging, varicose veins seen on, 737-738

Technetium-99m sulfur colloid imaging in lower gastrointestinal bleeding, 405–409

for lymphoscintigraphy in melanoma, 295-296

in polyserositis of unknown origin, 905-906 peritoneal, rectovesicular pouch seen on, 747-748

Technetium-99m tetrofosmin

hibernoma seen on, 369-370

myocardial, breast cancer in man detected on, 743-744

mvocardial SPECT

aortic coarctation on, 822-823 in coronary artery disease, 510-515 harness-shaped distribution in, in pediatric

patient, 303

multiple myeloma and, 305-306

postextrasystolic potentiation on, 223-224 of transient left ventricular dilatation, 34-39

SPECT, in bronchogenic carcinoma, 676-679 uptake

in lung cancer, 698–700

in malignant thymoma, 30-33 Technetium-99m tin colloid scintigraphy, in vulvar Paget's disease, 909–910

Testicular torsion, acute, and inflammatory testicular disease, differentiation of, 490-493

Textiloma, paraspinal, FDG PET of, 132–133

- Thallium-201, uptake, in lung cancer, 698-700
- Thallium-201 chloride scintigraphy, pulmonary uptake in, in unilateral pulmonary edema, 321–323
- Thallium-201 scintigraphy
 - in bronchogenic carcinoma, 676-679
 - myocardial imaging
 - breast cancer in man detected on, 743-744 in detection of myocardial stunning (ab), 148
 - pulmonary Tl-201 uptake in
 - prognostic significance of, 255–260 in unilateral pulmonary edema, 321–323
 - in pediatric oncology, 117-125
 - of pelvic lymph node metastasis from prostate cancer, 935–936
 - SPECT
 - of brain, in HIV-infected (AIDS) patients, 81-86
 - in detection of myocardial stunning (ab), 148 in squamous cell carcinoma metastasis of unknown primary origin, 383–384
- Thrombosis, of central venous catheter, 45–46
- Thrombus, aortic aneurysmal, FDG PET of, 213–
- Thymoma
 - benign
 - cervical, mimicking malignant thyroid nodule, 862–864
 - Tc-99m pertechnetate uptake in, 47–48 malignant, recurrent, 30–33
- Thymus, In-111 octreotide uptake in, in Cushing's syndrome, 453–454
- Thyrogen, stimulation and withdrawal, and I-131 whole-body scan in thyroid cancer patient, 772–780
- Thyroid
 - I-123 uptake, measured with gamma camera, without standard source, 324–329
 - nodules
 - malignant, differential diagnosis of, 862–864 mimicking cervical adenopathy, on F-18 FDG PET, 656–657
 - nontoxic autonomous, F-18 FDG uptake in, 136-137
- pleomorphic liposarcoma metastatic to, 9-10 tumors, whole-body scanning with I-123 for, 1-8 Thyroid cancer
- anaplastic, FDG uptake in, standardized uptake value for, 819
- differentiated, gamma probe-guided lymph node dissection in, 859-861
- follicular
 - cutaneous metastasis of, 379-380
- hypophyseal metastasis of, 309–310
- incidental, on parathyroid imaging, 658–659 I-131 therapy for

- maximum safe dose for, 556-566
- outcome with, 556-566
- for post-thyroidectomy ablation, diffuse soft tissue uptake of I-131 after, 215
- salivary gland scintigraphy after, 767–771 toxicity of, 556–566
- I-131 therapy for (ab), 150
- I-131 whole-body scan in, negative, reversal to positive, after thyrogen stimulation and withdrawal, 772–780
- medullary, detection of, anti-CEA Fab' scan in, 447-448
- metastases
 - radioiodine therapy for, 556-566
 - on Tc-99m pertechnetate and I-131
 - scintigraphy, 610
 - thoracic esophageal diverticulum mimicking, on I-131 scan, 896–897
- papillary, metastases of, I-123 imaging of, 895
- and parathyroid carcinoma, association of, 820-821
- Thyroid imaging
 - I-123
 - pinhole, phantom studies of (ab), 151
 - for thyroid tumor imaging, 1-8
 - Tc-99m pertechnetate
 - of pleomorphic liposarcoma metastatic to thyroid, 9–10
 - in Sjögren's syndrome, 265-269
- Tibia, stress fractures of
 - grading of, 18-21
 - longitudinal, 475-478
- Tibiofibular syndesmosis, distal, injuries to, scintigraphy of, 625–627
- Tracheal granuloma, on Ga-67 scintigraphy, 672–
- Transitional vertebra, lumbosacral, degenerative changes in, on bone imaging, 840–841
- Transposition of great arteries, congenitally corrected, Tc-99m MIBI SPECT in, 530-531
- Trauma, cerebrospinal fluid leak caused by, 830-831
- Tuberculosis, skeletal, Tc-99m (V) DMSA scintigraphy in, 539
 - U
- Ultrasound
 - in acute testicular torsion, 490-493
 - of focal pancreatic lesions, 197–201 of gallbladder, 589–590
- Umbilicus, metastases to, of ovarian cystadenocarcinoma, 134–135

- Upper extremity, deep venous thrombosis, on bone scan, 283–284
- Ureterocele, ectopic, on renal cortical scintigraphy, 169-175
- Urinary diarrhea, detected by Tc-99m DTPA scintigraphy, 287–289
- Uterus
 - menstrual bleeding from, on F-18 FDG PET, 22-24
 - Tc-99m human polyclonal immunoglobulin G scintigraphy of, to detect molar pregnancy, 844

V

- Varicose veins, on Tc-99m sestamibi tumor imaging, 737-738
- Vascular surgery, complex regional pain syndrome after, 619-621
- Ventilation-perfusion imaging. See Lung ventilationperfusion imaging
- Ventricular trigeminy, postextrasystolic potentiation in, shown on gated SPECT, 223–224
- Ventriculoperitoneal shunt infection, Ga-67 citrate scan of, 666

- Vertebroplasty, kyphoplasty variant of, bone densitometry after, 365–366
- Vesicoureteral reflux
 - to ectopic right kidney, on indirect radionuclide cystography, 745–746
 - and misinterpretation of Tc-99m DTPA scan, 290-292
 - on Tc-99m MAG3 scan, 803-804
- Video display monitors, quality control program for (ab), 148

W

- Wegener's granulomatosis F-18 FDG PET in, 705-706
- lung ventilation-perfusion scans in, 440-441
- Wilms' tumor, in pediatric patient, nuclear imaging of, 117–125

Y

Yttrium-90 silicate therapy, in rheumatoid knee synovitis, assessment using Tc-99m HIG scan, 395-400

